

RESIDENTIAL CONSTRUCTION GUIDELINES

The Village of Frankfort's Building Department is governed by ordinances and policies adopted by the Village Board under the leadership of Mayor Keith Ogle, and periodically updated to reflect changes in the International Building Codes.

The Village is committed to quality construction and stringent enforcement of all code related requirements. Therefore, there are many inspections that need to be done at certain stages of the project. These inspections give our building inspectors the opportunity to ensure that the building is being constructed in accordance with the codes that the Village has adopted.

All contractors working in the Village of Frankfort must be registered, insured, and bonded. Our goal is to work closely with all those involved in the construction process. Our success really depends on our commitment to communication, insistence upon quality construction and our ability to be firm, but fair, regarding all code related issues.

Note to all Builders and General Contractors, the Village of Frankfort has adopted the 2012 ICC codes which include mechanical, building, fire, and property maintenance codes. Additionally, we have adopted the 2015 ICC energy conservation code, the 2011 National Electrical Code and the 2014 Illinois Plumbing Code.

Should you need additional information or have any questions, feel free to contact the Building Department, at 815-469-2177, 8:00 a.m. to 4:00 p.m., Monday through Friday.

Thank You,



Adam Nielsen
Manager of Economic Development & Building
Village of Frankfort

TABLE OF CONTENTS

Construction Guidelines –Residential,
New Construction and Remodeling 3 & 4

Plan Review5

Residential Inspections 6 & 7

Time Allotments for Inspections7

Site Development Regulations8

Building Code Requirements.....9 thru 19

Cold Weather Concrete Regulations20

Water Meter/Remote Guidelines & Water Meter Installation.....21

Contractor Insurance Requirements & Application.....22 thru 25

Attention Builder Submittal information.....26

Residential Engineering Review Form.....27

Residential Anti-Monotony Regulations & Form 28 & 29

Building Permit Application 30 & 31

Letter of Intent Example 32 & 34

Change of Contractor Form35

ADDITIONAL ATTACHMENTS TO BE SUBMITTED AT TIME OF PERMIT APPLICATION

1. Building Permit Application.
 2. Two sets of stamped architectural drawings for the project.
 3. Residential monotony form and color picture submittal of adjacent properties.
 4. Residential Engineering Review Form
 5. Plat of Survey and Grading plan matching the approved subdivision grading plan.
 6. Homeowners Association Approval or Architectural Review Committee Approval from the subdivision association on their letter head.
 7. Heating and window calculations
 8. Res Check (www.energycodes.gov) form submitted for project
- 1) All Contractors who work in the Village shall be registered, bonded and insured by the Village as follows:
 - a. General Contractor Village Registration \$150.00, a \$25,000 License & Permit Bond. Insurance \$1,000,000 General Liability and workmen's comp. insurance with Village named as certificate holder.
 - i. The general contractor must ensure that all sub contractors have current registrations with the Village and that they maintained through the duration of the project.
 - b. Sub-contractors Village Registration \$75.00, also are required to provide a License & Permit Bond in the amount of \$15,000.00 as well as the General Liability Insurance for \$500,000.00 and workmen's comp. insurance.
 - c. ***If the contractors are not maintained current registrations throughout the construction process then the job could be shut down and/or inspections not done until sub and/or general renew their information with the village. This could result in additional fines and stop work orders if this is not maintained during the entire duration of the project.***
 - 2) All General Contractors shall also provide a \$10,000.00 Surety Performance Bond for each new construction project, which will be due at time of occupancy.
 - 3) All permits must be posted and properly secured on the job site and lot # displayed. No construction shall begin prior to 7:00 a.m. and no construction after 9:00 p.m. Monday – Friday and 8:00 a.m. to 8:00 p.m. Saturday and Sundays.
 - 4) Procedures for all required inspections are outlined in Section D and must be adhered to, or the contractor may be subject to fines, and/or revocation of license.
 - 5) It is the responsibility of the General Contractor to maintain a clean and safe construction site. A refuse container shall be located on site and all debris shall be picked-up on a daily basis. A stone construction driveway to eliminate mud on the streets is required and port-a-potty should be placed on site for the contractors. Failure to comply may result in a Stop Work Order and/or fines.
 - 6) Any deviation from construction drawings must be approved by the Building Department and the subdivision HOA/ARC, prior to work being started. Structural alterations must bear the seal of the architect on record.

- 7) Final grades including defining swales must be established prior to occupancy including an as-built of final grades, which must be in conformance with the engineered plans for the subdivision.
- 8) An additional permit is required for landscaping. It is the responsibility of the homeowner/or builder to apply for the permit. The permit application must be accompanied with a Four corner elevation Plat of Survey (grading plan) showing all drainage ways, and the flow of overland storm water runoff. Drainage ways and easements shall comply with the Village *Design Standards*, and Ordinance No. 1469.
- 9) Developer's approval or Homeowners Association approval must be submitted before permit release.
- 10) HVAC calculations required from the registered contractor listed on the job
- 11) Window Calculations from the window manufacturer.
- 12) Residential monotony form & pictures submitted for adjacent structures.
- 13) Submit Res-check forms with permit submittals for new construction (www.energycodes.gov) (or use prescriptive method 2012 IECC).

PLAN REVIEW

Typical Areas of Review:

FOOTINGS

Depth below grade
Soil bearing value - verified in the field
Thickness/width

FOUNDATION WALLS

Footing centered under foundation
Width of foundation wall
Drains
Damproofing - and/or waterproofing
anchor bolts
foundation insulation

WALL CONSTRUCTION

stud grade & spacing
exterior & interior bearing walls
interior nonbearing partitions
drilling & notching studs
firestopping
draft-stopping
smoke & carbon monoxide detectors

MASONRY CONSTRUCTION

general design
types of masonry
thru-wall flashing
construction requirements

EXTERIOR WALL COVERING

WEATHER PROTECTION

FLOORS

joists/grade/size and spans
header size and span
column support
footing support
concrete floors - thickness
plywood
particle board

ROOF-CEILING CONSTRUCTION

rafter & ceiling joist-size & span
rafter brace
bearing, cutting, notching, bored holed later
support & bridging,
headers, trusses, roof tie-down

CHIMNEYS & FIREPLACES

Masonry chimneys, factory-built chimneys,
masonry fireplaces, must have fresh air
supply

MECHANICAL

Heat loss calculations – Computer print out
indicating size of heating/AC units based on
square footage/ 1 or 2 story model, R-value
– glazing etc.

ENERGY CONSERVATION

Either Res-check forms submitted or build
home using prescriptive method

RESIDENTIAL INSPECTIONS

1. Initial on-site Inspection
 - a. Erosion control for site
 - b. Construction driveway
 - c. Garbage dumpster location
 - d. Port-a-potty
2. Pre-Pour footing inspection(s):
 - a. Inspection shall be made prior to placement of concrete.
 - b. If poor soil conditions exist, an Illinois State Licensed Soil Engineer's report and site inspection may be required.
3. Pre-Pour foundation inspection(s):
 - a. Wall forms centered on footings
4. Backfill Inspection
 - a. Damproofing
 - b. Drain Tile
 - c. Foundation insulation
5. Spotted Plat of Survey (sealed by an Illinois State licensed surveyor or engineer).
 - a. This survey must show top of foundation and location of building to all lot lines.
 - b. This survey will be reviewed by the Building Department, and upon approval, framing can commence.
6. Rough Underground Plumbing
 - a. Radon Piping
 - b. Sump pump pit
 - c. Ejector pump pit
 - d. Interior drain tile
7. Water & Sewer Lines
8. Rough Framing
9. Rough Electric
10. Rough Plumbing
11. Rough Mechanical
12. Electrical Service
13. Insulation Inspection
14. Flashing Inspection/Masonry
15. Pre-pour Basement Floor –
 - a. Radiant heat (if applicable, plumbing inspector with inspect prior to pouring)
 - b. Concrete thickness
 - c. Visqueen vapor barrier
16. Pre-pour Garage Floor
 - a. Radiant heat (if applicable, plumbing inspector with inspect prior to pouring)
 - b. Concrete thickness
 - c. Visqueen vapor barrier
17. Pre-pour Driveway
 - a. Thickness of compacted stone
 - b. Thickness of concrete
 - c. Wire or fiber mesh
 - d. Rebar connections to garage slab
18. Public Walks
 - a. Thickness of compacted stone
 - b. Thickness of concrete
 - c. Rebar over utility services
19. Service Walks and Patios
 - a. Thickness of compacted stone
 - b. Thickness of concrete
 - c. Wire or fiber mesh
20. Asphalt Inspection
 - a. Thickness of compacted stone
 - b. Thickness of binder base layer
 - c. Thickness of final lift
21. Final Building Inspection
22. Final Electric Inspection
23. Final Plumbing Inspection
24. Final Mechanical

- 25. Final Grade Inspection
- 26. Separate Landscape Permit needed
 - a. Provide drawing on landscaping placement and final elevations of property
- 27. Separate Lawn Sprinkler Permit needed if applicable.
 - a. Provide drawing on sprinkler heads and placement and type of RPZ for the property

TIME ALLOTMENTS FOR INSPECTIONS

All inspections will be conducted between 8:00 am and 3:30 pm the day that the inspection is scheduled however, the building department cannot schedule specific times due to the amount and types of inspections scheduled for that day. Our staff will try to accommodate varying schedules whenever possible.

- 1. CONCRETE INSPECTIONS
 - a. The owner or contractor shall call the building department 24/48-hours prior to the requested inspection.
 - b. All concrete will be inspected prior to placement.
- 2. BUILDING INSPECTIONS
 - a. The owner or contractor shall call the building department 24/48-hours prior to the requested inspection.
 - b. For rough inspections, no insulation can be installed, or any type of covering over the area remodeled or constructed.
- 3. FINAL INSPECTIONS
 - a. The owner or contractor shall call the building department 24/48-hours prior to the requested inspection.
 - b. A building shall not be used or occupied in whole or in part until a Certificate of Occupancy has been issued by the building official.
 - a. For purposes of this Section, the terms "used or occupied" shall be deemed to include, but are not limited to the following:
 - 1. The temporary or permanent storage of furniture, equipment, and or personal or household effects within the building or structure.
 - 2. Use of the building or structure for the purposes of interviewing, training and instructing individuals, or other similar activities.
- 4. ON SITE IMPROVEMENT INSPECTIONS
 - a. The Director of Building and Zoning shall direct the Village Engineer or Inspector to inspect improvements of commercial, industrial and residential construction projects. On-site improvements include, but not limited to curbs, gutters, grading, drainage, paving and driveways. The cost of all inspections and reports required under this provision shall be paid by developer or property owner.
- 5. RE-INSPECTION FEES
 - a. All re-inspection fees for failed inspections are \$75.00

SITE DEVELOPMENT REGULATIONS

- 1) A project manager for the subdivision must be identified, who can be reached 24 hrs, 7 days a week, who will be notified in case of problems with the subdivision.
- 2) No mud or other debris is to be left on any public right-of-way or other empty lots. If any mud or debris is found on a public right-of-way or on empty lots, those individuals responsible for the condition may be ticketed, fined and directed to clean up. If the violators(s) cannot be identified, then the subdivision developer may be ticketed, fined and directed to clean-up or be charged an amount to cover Village costs for clean-up.
- 3) All construction debris shall be cleaned up each day and deposited in a dumpster, on-site, of sufficient size to handle all debris and must be emptied on a timely basis. Burning of construction debris is prohibited. Dumping of construction debris or landscaping waste on vacant lots is prohibited and could result in violations.
- 4) Construction vehicles (especially cement trucks) shall be cleaned only as follows:
 - a. On a particular lot if the vehicle is working on that lot; or,
 - b. At a location specifically and previously identified by the subdivision developer and approved by the Village.
- 5) Base stone for driveway shall be installed after foundation is poured and backfill is done.
 - a. Keep all mud and debris off the streets. Streets must be cleaned each day after all work is completed.
- 6) Developer must have a port-a-potty on site for the workers to use throughout the duration of the project.
- 7) Sediment and erosion control methods (silt fences and other control methods) must be installed and maintained throughout the construction project in accordance with the SWPPP and NPDES II requirements as approved and modified through the IEPA and IDNR.
- 8) Violation of any of these points or any provision of Village Building, Zoning, Subdivision, Property Maintenance, or other ordinances or policies can result in ticket and fines.

150.20 ADOPTION OF THE 2012 INTERNATIONAL RESIDENTIAL CODE - ONE AND TWO FAMILY DWELLINGS.

The 2012 Edition of the International Residential Code for One and Two Family Dwellings, first edition, published by the International Code Council, Inc., be and is hereby adopted as a Residential Building Code of the Village of Frankfort for the control of buildings and structures as therein provided; and each and all of the regulations, provisions, conditions, and terms of the 2012 International Residential Code, for One and Two-Family Dwellings are hereby referred to adopted by reference and made part hereof as if fully set out in this Ordinance, except with the additions, insertions, deletions and changes, to such Code which are as follows:

(A) *Section R101.1 Title.* These provisions shall be known as the Residential Codes for One and Two-Family Dwellings of the Village of Frankfort, and shall be sited as such, and will be referred to herein as “this code.”

(B) *Section R 102.5 Appendices.* Hereby adopted.

Appendix A SIZING AND CAPACITIES OF GAS PIPING.

Appendix B SIZING OF VENTING SYSTEMS SERVING APPLIANCES EQUIPPED WITH DRAFT HOODS, CATEGORY I APPLIANCES, AND APPLIANCES LISTED FOR USE AND TYPE B VENTS.

Appendix C EXIT TERMINALS OF MECHANICAL DRAFT AND DIRECT VENT VENTING SYSTEMS.

Appendix F RADON CONTROL METHODS.

Appendix G SWIMMING POOLS, SPAS AND HOT TUBS. Delete the following sections under Section AG105 Barrier Requirements:

(i) *Section 9.1.* Delete this provision in its entirety.

(ii) *Section 10.1.* Delete this provision in its entirety.

Appendix H PATIO COVERS.

Appendix J EXISTING BUILDINGS AND STRUCTURES

(C) *Section R 105.2 Work Exempt from Permit.* Delete this section in its entirety: Building, Electrical, Gas and Mechanical.

(D) *Section R105.3 Application for Permit.* Add the following to the list of application requirements:

1. Three sets of all drawings for a project shall be prepared, signed and sealed by an architect licensed in the State of Illinois, and submitted to the village for review with application.
2. Include window and sliding glass door energy conservation information, R and U Values.
3. Include HVAC heating and cooling load calculations.

(E) *Section R105.5 Expiration.* Hereby amended to read as follows:

Delete one hundred eighty (180) days and replace with ninety (90) days.

(F) *Section 108.2 Schedule of Permit Fees.* Hereby amended to read as follows:

Fee Schedule. A fee for each plan examination, building permit and inspection shall be paid in accordance with the schedule as set forth in applicable village ordinances, including Ordinance Nos. 1347 and 1449 entitled, “An Ordinance Amending Building Permit Fees and Inspection Charges for the Village of Frankfort, Will County, Illinois,” as it now exists or from time to time is amended.

(G) *Section R109.1 Types of Inspections.* Hereby amended to read as follows:

1. Sediment and erosion control measures must be installed and maintained during the duration of the entire project in accordance with the applicable village ordinances, including Village of Frankfort Design Standards, Ordinance No. 2487, as from time to time amended.

2. FOOTING INSPECTIONS

1. Inspections required prior to placement of concrete.

2. If poor soil conditions exist, and Illinois state-licensed professional engineer will be required to provide a signed and sealed written determination, and inspection prior to placement of concrete.

3. Installation of stone drive.

3. FOUNDATION INSPECTION

1. Inspection of concrete forms in-place prior to any concrete being poured.

2. Reinforcing steel in-place.

3. Forms centered on footing.

4. Installation of stone drive.

4. FOUNDATION BACKFILL INSPECTION

a. Dampproofing in-place.

b. Drain tile in-place.

c. Anchor bolt installation and location.

d. Upon approval of the drain tile inspection, the foundation can be backfilled. The Building Department will permit construction of the deck over the basement or crawlspace areas only, prior to or after backfilling. This will help provide extra safety at the job site and structural integrity to the foundation.

e. Submit spot survey (top of foundation elevation and all setback dimensions).

f. Sediment control inspection.

5. UNDERGROUND PLUMBING INSPECTION

A. Basement Floor - inspection necessary prior to placement of concrete.

6. SANITARY SEWER & WATER INSPECTION

7. ROUGH ELECTRIC INSPECTION

8. ROUGH PLUMBING INSPECTION

9. ROUGH MECHANICAL INSPECTION

10. ROUGH BUILDING INSPECTION

A. No insulation may be installed until the rough inspections have been approved.

11. INSULATION INSPECTION

A. No wall/ceiling coverings may be applied until an insulation inspection has been performed and approved by the village.

12. MASONRY THRU-WALL "SILL" FLASHING AND WINDOW FLASHING INSPECTION

A. Prior to the installation of brick veneer, or stone.

13. CONCRETE FLAT WORK INSPECTION

A. Basement floors

B. Garage floors

C. Patios and stoops

D. Driveways

E. Sidewalks and service walks

14. EXTERIOR INSULATION FINISH SYSTEM INSPECTION

The following inspections shall be required for all E.I.F.S. installation:

A. Substrate/flashing inspections

B. E.P.S. board inspection

C. Base coat application inspection

D. Final inspection

E. The installer must adhere to all manufacturers' requirements for installation, and include a drainage system or equivalent.

15. FINAL PLUMBING INSPECTION

16. FINAL ELECTRIC INSPECTION

17. FINAL MECHANICAL INSPECTION

18. FINAL BUILDING INSPECTION

19. FINAL GRADE INSPECTION

A. Erosion control methods installed.

20. ASPHALT INSPECTION (Minimum Standards)

A. Residential driveway apron (public right-of-way)

4" compacted asphalt

8" compacted crushed stone CA-6, Grade 8

B. Residential driveway

2-1/2" asphalt

8" compacted crushed stone CA-6, Grade 8

21. LANDSCAPE PERMIT INSPECTION (per applicable village ordinances, including Ordinance No. 2341, as from time to time amended):

A. Provide complete landscaping plans.

B. Indicate foundation and all top-of-grade elevations.

C. Provide drawing showing the location of all lawn sprinkler heads on final plat of survey.

(H) *Section R109.1-1 Requests for Inspections* is added as follows:

A. **CONCRETE INSPECTIONS.** The owner or contractor shall call a request for an inspection into the Building Department at least 24 hours prior to the requested inspection. All forms and/or concrete will be inspected prior to the placement.

B. **BUILDING INSPECTIONS.** The owner or contractor shall call a request for an inspection into the Building Department at least 48 hours prior to the requested inspection. For rough inspections, no insulation can be installed, or any type of covering placed over the area remodeled or constructed.

C. **FINAL INSPECTIONS.** The owner or contractor shall call a request for an inspection into the Building Department at least 48 hours prior to the requested inspection. A building shall not be used or occupied, in whole or in part, until a Certificate of Occupancy has been issued by the Building Official. Before final occupancy certificate is issued, all outstanding re-inspection and other village fees and costs must be paid, and a \$10,000 bond must be posted in a form acceptable to the village, to secure, in part, that the construction and improvements comply with all applicable village building codes for that property.

D. **ON-SITE IMPROVEMENT INSPECTIONS.** The Director of Building and Zoning, or approved agent of the village, shall authorize the inspection of all on-site improvements for commercial, industrial and residential construction projects. On-site improvements include, but are not limited to, curb, gutters, grading, drainage, paving and driveways. The cost of all inspections and reports required under this provision shall be paid by developer/contractor.

(I) *Section R113.4 Violation Penalties.* Hereby amended to read as follows:

Any person who violates any provisions of this code or who fails to comply with any of the requirements thereof, or who erects, constructs, alters or repairs a building or structure in violation of the approved construction documents or directive of the Building Official, or of a permit or certificate issued under the provisions of this code, or the requirements of this code, shall be subject to the following penalties as prescribed by law:

1. **Civil Remedies.** The village can enforce this code as provided by law, including seeking injunctive relief for any violations.

2. Ordinance Violations. In addition to, but not in lieu of, any other penalties, any person violating this code is subject to a fine of not less than \$250 or more than \$750 per day for each day any violation exists, with each calendar day an offense exists constituting a separate offense.

(J) *Section R114.2 Unlawful Continuance.* Hereby amended to read as follows:

Any person who shall continue any work in or about the structure after having been served with a stop order, except such work as that person is directed to perform to remove a violation or unsafe conditions, shall be penalized as provided by this chapter.

(K) *Section Table R301.2(1) Climatic and Geographic Design Criteria.* Hereby amended to read as follows:

Roof Snow Load	Wind Speed	Seismic Design Category	Subject to Damage From				Winter Design Temp.	Flood Hazards
34 lbs.	90 mph	B					0 degrees Fahrenheit	Per Ordinance
			Weathering	Frost Line Depth	Termite	Decay		
			Severe	42 inches	Moderate to Heavy	Slight to Moderate		

(L) *Section R311 Means of Egress.* Add the following:

Section R311.4.1 Landing at Doors. Temporary exterior landing/stairs are permitted for a period not to exceed six months from date of installation.

(M) *Section R315 Where required.* Hereby amended to read as follows:

Carbon Monoxide Detectors. All residential buildings constructed after the effective date of this section shall be equipped with carbon monoxide detectors. This provision shall also apply to existing residential buildings equipped with new oil and gas combustion furnaces and boilers.

- a) Power Source. Required carbon monoxide detectors shall receive their primary power from the building wiring when such wiring is served from a commercial source, and when primary power is interrupted, shall receive power from a battery. Wiring shall be permanent and without a disconnecting switch other than those required for over-current protection.
- b) Location. Carbon monoxide detectors shall be installed in the immediate vicinity where the fossil fuel-burning appliance, boiler or furnace is located. Carbon monoxide detectors must also be installed within fifteen (15) feet of all sleeping rooms.
- c) Compliance. All approved carbon monoxide detectors herein required shall comply with all federal, state and local standards for such devices. Carbon monoxide detectors shall bear the label of a nationally recognized standards testing laboratory, which indicates that each such detector that has been tested and listed as a single carbon monoxide detector.
- d) FOSSIL FUEL. Includes coal, natural gas, kerosene oil, propane and wood.

(N) Section R302.2, 302.3, and Table 302.6 Townhouses and two family dwellings revised one hour fire rated construction to 2 hour fire rated construction minimum, with no exceptions.

(O) *Section R402.1 Wood Foundations.* Hereby amended to read as follows:
 THE FOLLOWING SECTIONS WILL BE DELETED IN THEIR ENTIRETY:

3. Section R403.1 General
4. *Figure R403.1(2) & Figure R403J(3)*
5. *Section R403.2 Footing for Wood Foundations*
6. *Section R404.2 Wood Foundation Walls*
7. *Section R404.2.1 Identification*
8. *Section R404.2.2 Stud Size*
9. *Section R404.2.3 Height of Backfill*
10. *Table R404.2.3*
11. *Table R404.2.4 Backfilling*
12. *Section R404.2.5 Drainage and Dampproofing*
13. *Section R404.2.6 Fastening*
14. *Section R405.2 Wood Foundations*
15. *Section R406.3 Dampproofing for Wood Foundations*
16. *Section R406.3.1 Panel Joint Sealed*
17. *Section R406.3.2 Below Grade Moisture Barrier*
18. *Section R406.3.3 Porous Fill*
19. *Section R406.3.4 Backfill*

(P) *Section R403.1 Footings.* The following is added at the end of Section R403.1:
 All open and screened porches that are roofed require a minimum 8" wide trench footing foundation that extends at least 42" below finished grade.
 Trench footings are not permitted for brick veneer, solid masonry and 1-1/2 story or greater wall construction.

(Q) *Section R703.4 Attachments.* Table R703.4 Weather-Resistant Siding Attachment and Minimum Thickness:

<i>Siding Material</i>	<i>Nominal Thickness (Inches)</i>
Vinyl siding	0.046

(R) *Section R703.7.5 Flashing.* The following shall be added at the end of Section R703.7.5:
 “Foundation/Sill Flashing the minimum shelf angle, coping, base flashing, lintel and window sill flashing shall be:
 Minimum flashing shall be rubberized asphalt flashing: Manufacturers’ standard composite flashing product, consisting of a pliable and highly adhesive rubberized-asphalt compound bonded to a high density, cross-laminated polyethylene film, to produce an overall thickness of 0.040 inch (1.0 mm) or a rubberized flashing material of similar thickness. Six mil (6 mil) polyethylene is not acceptable.”

(S) *Section R703.8 Flashing.* The following shall be added at the end of Item 1:
 “Exterior Window and Door Flashing shall be:
 Minimum flashing shall be a multilayer composite employing polyethylene and fiberglass, with an integral adhesive strip that produces a perm rating of less than .30 perms, and complying with ASTM E331. Infiltration barrier joint tape is not acceptable.”
 Window and door flashing must be installed in accordance with the American Architectural Manufacturers Association (AAMA) guidelines.

(T) *Section R703.11 Vinyl Siding.* Vinyl siding shall be certified and labeled as conforming to the requirements of ASTM D 3679 by an approved quality control agency and shall have a minimum thickness of 0.046 inches.

(U) *Delete in its entirety.* Section R313. Automatic Fire Sprinkler Systems.

150.22 ADOPTION OF THE 2014 ILLINOIS STATE PLUMBING CODE

The Illinois State Plumbing Code 2014 Edition, including the supplements thereto, as adopted by the Illinois Department of Public Health pursuant to authority included in the Illinois Plumbing License and Code Law, is hereby adopted as the Plumbing Code of the Village of Frankfort, except with amendments and deletions as follows:

(A) *Delete #11 in Table A, Section 890 Appendix A.* Delete the following: Polyvinyl chloride (PVC) pipe.

(B) *Delete #4 in Table A, Section 890 Appendix A.* Delete the following: Chlorinated Polyvinyl Chloride (CPVC) pipe

(C) *Delete #2 in Table A, Section 890 Appendix A.* Delete the following: Chlorinated Polyvinyl Chloride (CPVC) pipe/tubing.

(D) *Amend #2 in "Agency Notes."* Amend the following to read: Type L copper tubing, approved for above ground uses only. Type K copper for below ground.

(E) *Delete in its entirety.* Section 890.1500 Installation of wet venting.

(F) *Amend Section 890.1340* by amending #4 to provide that the size of the item stated in this section "shall not be less than 3 inches in diameter."

(G) *Delete #12 in Table A, Section 890 Appendix A, Approved Materials for Water Service Pipe.* Delete the following: Polyvinyl chloride (PVC) pipe.

150.23 ADOPTION OF THE 2012 INTERNATIONAL MECHANICAL CODE

The 2012 International Mechanical Code, first edition, published by the International Code Council, Inc., be and is hereby adopted as a Building Code of the village for the control of buildings and structures as therein provided; and each and all of the regulations, provisions, conditions and terms of the 2012 International Mechanical Code are hereby referred to adopted and made a part hereof as if fully set out in this section, except with additions, insertions, deletions and changes to such code as follows:

(A) *Section 101.1 Title.* Hereby amended to read as follows:

Title: These regulations shall be known as the Mechanical Code of the Village of Frankfort, hereinafter referred to as "this code."

(B) *Section 106.5.2 Fee Schedule.* Hereby amended to read as follows:
Fee Schedule. A fee for each plan examination, building permit and inspection shall be paid in accordance with the schedule as set forth in applicable village ordinances, including Ordinance Nos. 1347 and 1449 entitled, “An Ordinance Amending Building Permit Fees and Inspection Charges for the Village of Frankfort, Will County, Illinois,” as it now exists or from time to time is amended.

(C) *Section 106.5.3 Fee Refund.* Paragraphs 2 and 3 of this section are hereby amended to read as follows:

1. Fifty percent (50%) of the permit fee paid if a refund is requested by the applicant within thirty (30) days from the date of the issuance of the permit and no work has been done under the permit issued in accordance with this code.
2. Fifty percent (50%) of the plan review fee paid when an application for a permit for which a plan review has been paid is withdrawn or cancelled by the applicant within thirty (30) days from the date of plan submittal, the village or its consultant has not initiated any review of the plan, and the village consultant has refunded to the village the fifty (50%) percent of the paid plan review fee.

(D) *Section 108.4 Violation Penalties.* Hereby amended to read as follows:

Any person who violates any provision of this code, or who fails to comply with any of the requirements thereof, or who erects, constructs, alters or repairs a building or structure in violation of the approved construction documents or directive of the Building Official, or of a permit or certificate issued under the provisions of this code, or the requirements of this code, shall be subject to the following penalties as prescribed by law.

1. Civil Remedies. The Village can enforce this code as provided by law, including seeking injunctive relief for any violations.
2. Ordinance Violations. In addition to, but not in lieu of, any other viable penalties, any person violating this code is subject to a fine of not less than \$250 and not more than \$750 per day for each day any violation exists, with each calendar day a violation exists constituting a separate offense.

(E) *Section 108.5 Stop Work Orders.* Hereby amended to read as follows:

No person shall continue any work in or about the building, structure or improvements after having been served with a stop work order, except such work as that person is directed to perform to remove a violation of unsafe conditions.

150.24 ADOPTION OF THE 2015 INTERNATIONAL ENERGY CONSERVATION CODE

The 2015 International Energy Conservation Code, first edition, published by the International Code Council, Inc., shall be and is hereby adopted as a building code of the Village for the control of buildings and structures as therein provided; and each and all of the regulations, provisions, conditions, and terms of the 2015 International Energy Conservation Code are hereby referred to, adopted, and made a part hereof as if fully set out in this section, except with additions, insertions, deletions, and changes to such code which are as follows:

(A) *Section 101.1 Title.* Hereby amended to read as follows:

Title: This code shall be known as the International Energy Conservation Code of the Village of Frankfort, and shall be cited as such. It is referred to herein as “this code.”

150.27 ADOPTION OF THE 2011 NATIONAL ELECTRICAL CODE

The 2011 National Electrical Code (NFPA-70) published by the National Fire Protection Association is hereby adopted as the Electrical Code of the village. Each and all of the regulations, provisions, penalties and terms of the NFPA-70, 2011 Edition, are hereby referred to as adopted and made a part hereof as if fully set out in this chapter, with the additions, insertions, deletions and changes to such code as follows:

(1) The following codes and standards are adopted by reference as part of the Village's adoption of the above National Electrical Code:

(a) The Electrical Industry Association (E.I.A.) and the Telephone Industry Association (T.I.A.) Standards.

(b) Amendments to EIA/TIA Standard 570.

(c) Section 5.3.5.2 of the EIA/TIA is amended to add a minimum of one wire run shall be installed to each of the following rooms in residences (where applicable):

Kitchen

All Bedrooms

Family/Guest Room

Den/Study

(2) ANSI (American National Standards Institute).

#Z21.83-98 - Fuel Cell Power Plants (Referenced in Code Section #1202.10)

(3) U.L. (Underwriters Laboratories).

#910-98 - Test for Flame - Propagation and Smoke-Density Values for Electrical and Optical-Fiber Cables Used in Space Transporting Environmental Air (Referenced in Code Section #1202.8)

#2043-96 - Standard for Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces (Referenced in Code Section 1202.8.1)

(4) NFPA (National Fire Protection Association).

#37-98 - Installation and Use of Stationary Combustion Engines and Gas Turbines (Referenced in Code Section #1202.9)

#110-99 - Emergency and Standby Power Systems (Referenced in Code Section 1202.6)

#111-96 - Stored Electrical Energy Emergency and Standby Power Systems (Referenced in Code Section 1202.6)

(B) The following articles are deleted from the Electrical Code:

Article 230.43 - Wiring Methods

Article 320 - Armored Cable: Type AC

Article 322 - Flat Cable Assemblies: Type FC

Article 324 - Flat Conductor Cable (FCC) usually under carpets

Article 326 - Integrated Gas Spacer Cable: Type IGS

Article 328 - Medium Voltage Cable (Type MV) 2001 Volts or higher

Article 334 - Non-Metallic Sheathed Cable/Type NM, NMC & NMS

Article 338 - Service - entrance Cable/Type SE & USE

Article 352.10.A - Concealed. In walls, floors & ceilings

Article 352.10.C - Cinders. In cinder fill.

Article 352.10.F - Exposed

Article 362 - Electrical Non-Metallic Tubing (flexible corrugated)

Article 382 - Non-Metallic Extensions
Article 394 - Concealed Knob-and-Tube Wiring
Article 398 - Pertaining to open wiring on insulators

(C) Adopt the following: “All conductors shall be installed in approved metallic raceways”.
Exceptions: See Article 352.10 (B), (D), (E) and (G).

(D) The following articles of the Electrical Code are amended:

(1) Article 230.43 is amended to read, “All electrical utility services shall only be installed in rigid metal conduit (or other material as approved), or intermediate metal conduit (or other material as approved) above ground and entering the building.”

(a) All underground branch-circuit and feeder conductors shall be protected against over-current by an over-current device installed at the point where the conductors receive their supply, and all sub-panels will have a main breaker located at the panel.

(b) All conduits entering a building shall be sealed with duct seal or other approved method to prevent moisture and condensation from forming inside the conduit.

(2) Article 210.5 (C) is amended to add the following: “All 120-208 Volt services, feeders, and branch circuits shall have phases marked Black (A), Red (B) and Blue (C). All 277-480 Volt services, feeders, and branch circuits shall be phased marked Brown (A), Orange (B), and Yellow (C).”

(3) Article 320 of the N.E.C. and substitute as follows (NFPA-70):

Armored Cable (Type A.C.) - Exceptions:

Armored cable may be permitted for use in concealed work in dry locations where it is finished in existing walls or partitions where it is not possible to install conduit, EMT or other approved raceway.

(4) Multi-Family Residence Buildings.

Articles 210-52H and 210-70a of the Electrical Code are amended to add:

A duplex receptacle shall be installed in each public hallway on each floor, and in each public reception room or foyer in multi-family residences.

(E) The following provisions are added to the Electrical Code:

(1) All wiring between the meter box and inside service panel, exceeding ten feet (10'), shall require proper wire-over-current protection.

(2) All new single-family dwellings over two thousand square feet (2,000 s.f.) shall have a minimum of a 200 ampere, 3-wire service, and shall be underground whenever possible, unless otherwise approved by the village.

(a) Residential Services. Shall be installed on the side of the house closest to the utility pedestal that will feed the meter. The service shall not be installed on the rear of the house unless approved by the village.

(3) A maximum of three (3) conduits per one and one half inch (1-1/2") 8-B (3-1/2" Octagon box x 1-1/2" deep) or four (4) conduits per 1,900 (4" square box x 1-1/2" deep) box shall be allowed.

(4) All lights over a bathtub or a shower will be G.F.C.I.-protected.

(a) In commercial and industrial buildings, all receptacles within five feet (5') of water shall be G.F.C.I. receptacles. This includes washrooms, whether they are public or private, or around sinks, showers, tubs, or water fountains.

(5) In all cases duly licensed by a commission in the State of Illinois that provides a test for electrical competency, a bonded electrical contractor shall install electrical services and wiring.

- (6) Studs, plates and joists must be drilled so as not to break the front half of the wood. If it is broken and the conduit is exposed, a metal plate must be placed across the opening.
- (7) Jacuzzi, spa or whirlpool tubs shall be hard wired to a J Box, with a switch, or G.F.C.I.-protected receptacle where it can be plugged. No cords from motors shall protrude through a wall or the floor to be wired. All tub motors will have an access panel with a minimum size of fourteen inches by fourteen inches (14" x 14").
 - (a) One hundred twenty-five (125) Volt receptacles located within ten feet (10') (3,048 mm) of the inside walls of spas and hot tubs shall be protected by ground-fault circuit- interrupters. One hundred twenty-five (125) Volt receptacles located within five feet (5') (1,524 mm) of the inside walls of hydro massage bathtubs shall be protected by a ground-fault circuit-interrupter.
 - (b) All hydro massage bathtubs and whirlpool tubs shall be protected by a faceless ground- fault circuit-interrupter located within the same room as the tub.
- (8) Any 120 volt sump pump or ejector pump shall have a single receptacle, not a duplex receptacle, and shall be on a separate circuit, non-G.F.C.I. type.
- (9) Electrical Metallic Tubing (EMT). Shall not be used underground, outside exposed to the weather, on outside walls, on roofs exposed to permanent moisture, nor in concrete slab in contact with the earth or fill, where during installation or afterwards, it will be subject to mechanical injury. Plastic, visqueen or similar materials under the tubing is considered the same as earth or fill.
- (10) Low Voltage Wiring. Low voltage wiring for lighting circuits, TV cable controls, building automation, telephone, intercoms, communications, including signaling circuits on commercial and industrial buildings or where there are metal studs being used, may be run exposed only in accessible areas. When such wiring is installed in inaccessible areas or subject to mechanical injury, or in plenums, all wiring shall be installed in conduit or approved raceway, and all such work requires a permit.
- (11) For smoke and carbon monoxide requirements, see IRC Code 2012 or Illinois Public Act 094-0741.

150.28 ADOPTION OF THE 2012 INTERNATIONAL FUEL GAS CODE

The 2012 International Fuel Gas Code, second edition, published by the International Code Council, Inc., be and is hereby adopted as a Building Code of the village for the control of buildings and structures as therein provided; and each and all of the regulations, provisions, conditions and terms of the 2012 International Fuel Gas Code are hereby referred to, adopted and made a part hereof, as if fully set out in this section, except with additions, insertions, deletions and changes to such code as follows:

(A) *Section 101.1 Title.* Hereby amended to read as follows:

Title: These regulations shall be known as the 2012 International Fuel Gas Code of the Village of Frankfort, hereinafter referred to as "this code."

(B) *Section 106.6.2 Fee Schedule.* Hereby amended to read as follows:

Fee Schedule. A fee for each plan examination, building permit and inspection shall be paid in accordance with the schedule as set forth in applicable village ordinances, including Ordinance Nos. 1347 and 1449 entitled, "An Ordinance Amending Building Permit Fees and Inspection Charges for the Village of Frankfort. Will County, Illinois," as it now exists or from time to time is amended.

(C) *Section 106.6.3 Fee Refund.* Hereby amended to read as follows: Paragraphs 2 and 3 of this section are hereby amended to read as follows:

1. Fifty percent (50%) of the permit fee paid if a refund is requested by the applicant within thirty (30) days from the date of the issuance of the permit and no work has been done under the permit issued in accordance with this code.
2. Fifty percent (50%) of the plan review fee paid when an application for a permit for which a plan review has been paid is withdrawn or cancelled by the applicant within thirty (30) days from the date of plan submittal, the village or its consultant has not initiated any review of the plan, and the village consultant has refunded to the village fifty percent (50%) of the paid plan review fee.

(D) *Section 108.4 Violation Penalties.* Hereby amended to read as follows:

Any person who violates any provisions of this code or who fails to comply with any of the requirements thereof, or who erects, constructs, alters or repairs a building or structure in violation of the approved construction documents or directive of the Building Official, or of a permit or certificate issued under the provisions of this code shall be subject to the following penalties as prescribed by law.

1. Civil Remedies. The village can enforce this code as provided by law, including seeking injunctive relief for any violations.
2. Ordinance Violations. In addition to, but not in lieu of, other viable penalties, any person violating this code is subject to a fine of not less than \$250 or more than \$750 per day for each day any violation exists, with each calendar day a violation exists constituting a separate violation.

(E) *Section 108.5 Stop Work Orders.* Hereby amended to read as follows:

No person shall continue any work in or about the structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation of unsafe conditions.

150.29 CONSTRUCTION USING MOST RESTRICTIVE PROVISIONS

SECTION 10. CONSTRUCTION USING MOST RESTRICTIVE PROVISIONS That Title XV, Chapter 150, Section 150.29, entitled CONSTRUCTION USING MOST RESTRICTIVE PROVISIONS of the Village of Frankfort Code of Ordinances, is hereby amended to read as follows:

150.29 CONSTRUCTION USING MOST RESTRICTIVE PROVISIONS Each of the codes adopted herein shall be constructed collectively, and if there are any inconsistencies between such codes, the most restrictive provisions to the applicant shall apply.

VILLAGE OF FRANKFORT

COLD WEATHER CONCRETE PRACTICE

The ICC Codes and the American Concrete Institute ACI - 318 have established thresholds for placement of concrete when cold weather conditions exist. The following information is from various excerpts of the applicable code sections as they apply to the placement of concrete in cold weather conditions.

PROTECTION OF CONCRETE IN COLD WEATHER

FOOTINGS

Footings can be poured when the temperature is 20 degrees or above, however the following precautions must be adhered to:

- Concrete shall be maintained at a temperature of not less than 50 degrees Fahrenheit for a minimum of 3 consecutive days after placement of concrete.

***INSULATED BLANKETS MUST PROTECT THE CONCRETE AND FORMS LEFT IN PLACE.**

- The hole should not be left open for more than 24 hours. Protection must be provided to keep soil from freezing with INSULATED BLANKETS.

FOUNDATION WALLS

Foundation walls can be poured when the temperature is 40 degrees or above. Concrete shall be maintained at a temperature of not less than 50 degrees Fahrenheit for a minimum of 7 consecutive days.

***INSULATED BLANKETS SHALL BE SECURELY FASTENED TO BOTH SIDES AND THE FORMS MUST BE LEFT IN PLACE.**

FLATWORK

After the first frost, it is the discretion of the Director of Building or Zoning if flat work can continue. Flat work is allowed if the temperature of the concrete is maintained at 50 degrees for 7 consecutive days after concrete placement.

The use of salamanders, or other equipment that exhaust flue gases into the area above concrete floors must be avoided, because of the danger of carbonation to the fresh concrete.

The ICC Codes and ACI -318 provides for alternates for the above. High early strength may be used to substitute the aforementioned guidelines. An increase in the amount of cement to a minimum of a 6 bag mix and maintaining the concrete at 50 degrees for 3 consecutive days provides an alternative option for builders. Additionally, admixtures for high early strength may be added in accordance with the manufacturer's requirements.

The use of visqueen and straw are not an acceptable means of protection, INSULATED BLANKETS ONLY.

Please contact the Building Department prior to ordering concrete.

WATER METER AND REMOTE READING TOUCHPAD GUIDELINES & INSTALLATION

Each contractor shall be required to provide a ½ inch plastic or conduit line from the inside meter location to and through the exterior wall at a location near the area of the gas and/or electric meter for the purpose of running the remote meter wire prior to the rough inspection. The village shall install an outside radio read type meter reading device on each structure prior to occupancy.

Contractors Responsibility:

The Contractor shall be responsible for all materials obtained from the Village and shall protect the same from damage at all times. The contractor is responsible to examine all materials prior to signing receipt for it.

Responsible for Safe Storage:

The contractor shall be responsible for the safe storage of materials furnished to the contractor for the intended work until it has been incorporated in the completed project or returned undamaged to the Village.

Any materials furnished by the Village that becomes damaged after acceptance by the contractor, shall be replaced by the contractor at their own expense. The contractor shall return to the Village all undamaged materials furnished by the Utility Department.

WATER METER INSTALLATION

1. All water metering facilities shall be installed in a plumb and secure manner.
2. The minimum height for meter socket is 30" from top of foundation.
3. All meter connections shall be lead free.
4. Ground rod(s) should be even with finished grades and follow all electrical code guidelines.
5. When metering equipment is installed in a multiple occupancy building (2 or more tenants): Each meter connection device shall be labeled, tagged or stenciled showing the complete address or unit number being serviced.
6. A permanent grounding wire shall be installed from the street side of the water meter to the house side of the meter for all residences.

CONTRACTORS REGISTRATION GUIDELINES

Village of Frankfort
432 W. Nebraska St. Frankfort, IL 60423
Office:815-469-2177 Fax: 815-469-7999 www.frankfortil.org

REGISTRATION REQUIRED;

*EVERY CONTRACTOR MUST BE REGISTERED TO WORK WITHIN THE VILLAGE LIMITS.

REGISTRATION APPLICATION;

*EACH APPLICATION SHALL STATE THE BUSINESS NAME AND ADDRESS ALONG WITH A CONTACT NAME, PHONE NUMBER, AND EMAIL ADDRESS.

REGISTRATION FEES;

- \$150.00 PER YEAR IS REQUIRED FOR ALL GENERAL CONTRACTORS.
- \$75.00 PER YEAR IS REQUIRED FOR ALL SUBCONTRACTORS

BONDS;

*EACH APPLICANT IS REQUIRED TO FURNISH TO THE VILLAGE OF FRANKFORT BUILDING DEPARTMENT A VALID DRIVERS LICENSE & PERMIT BOND. SAID BOND ARE TO BE ISSUED BY A COMPANY APPROVED AND AUTHORIZED BY THE STATE OF ILLINOIS. BONDS ARE TO BE IN THE FOLLOWING AMOUNTS:

GENERAL CONTRACTOR	\$25,000.00
SUBCONTRACTORS	\$15,000.00

LIABILITY INSURANCE;

- A CERTIFICATE OF LIABILITY INSURANCE WITH WORKMAN'S COMPENSATION MUST ALSO BE ISSUED TO EACH CONTRACTOR

GENERAL CONTRACTOR;	
GENERAL LIABILITY	\$1,000,000.00
AUTO LIABILITY	\$500,000.00
EXCESS LIABILITY	\$2,000,000.00
WORKERS COMPENSATION & EMPLOYER LIABILITY	\$100,000.00
SUBCONTRACTORS:	
GENERAL LIABILITY	\$500,000.00
AUTO LIABILITY	\$200,000.00
EXCESS LIABILITY	\$1,000,000.00
WORKERS COMPENSATION & EMPLOYER LIABILITY	\$100,000.00

* ALL PLUMBING, ROOFING, ALARM, AND IRRIGATION CONTRACTORS MUST ALSO SUBMIT A COPY OF THEIR STATE LICENSE:

- Plumbers need to register. Plumbing companies do not need a bond.
- Electrical contractors must submit their license. Electrical contractors must test from a municipality with an Electrical Commission. Please check before testing for an electrical license.
- EIFS contractors must provide an applicator certificate to distinguish the type of system applied.

Application for General & Sub-Contractors License

Village of Frankfort
432 W Nebraska St. Frankfort, IL 60423
815-469-2177 fax 815-469-7999

License
No. _____

In order to obtain a General or Sub-Contractor’s License within the Village of Frankfort, the following must be submitted with your application:

GENERAL CONTRACTOR:

General Contractors License Fee	\$150.00 (per year)
A copy of Certificate of Insurance	\$1,000,000.00
A copy License & permit Bond Totaling	\$25,000.00

Sub-Contractor:

Sub-Contractors Registration fee	\$.75.00 (per year)
A copy of Certificate of Insurance	\$500,000.00
A copy of License & Permit Bond Totaling.....	\$15,000.00

PLEASE PRINT

Company Name _____ Date _____

Type of Contractor _____

Owner Name of Applicant _____

Address _____

City/State _____ Zip _____

Telephone _____ Fax # _____

Email Contact _____

Signature of Applicant _____

Note: Whoever violates or fails to comply with any of the provisions of Ordinance 1198 shall be fined not more than Five-Hundred Dollars (\$500.00). A separate offense shall be deemed committed each day during or on which a violation or noncompliance occurs or continues. Plumbers must register. A State License is required.

- Plumbers need to register. Plumbing companies do not need a bond. State License required.
- Electrical contractor must submit their license. Electrical contractors must test from a municipality with an Electrical Commission. Please check before testing for an electrical license.
- EIFS contractor must provide an applicator certificate to distinguish the type of system applied.

VILLAGE OF FRANKFORT
432 W. NEBRASKA STREET
FRANKFORT, IL 60423
815-469-2177
815-469-7999 FAX

VILLAGE OF FRANKFORT
INDEPENDENT CONTRACTOR AFFIDAVIT

Name _____

Business Name _____

Address _____

Telephone Number _____

Federal Identification number or Social Security number _____

Specified Trade _____

All of the following are to be checked yes or no:

True False

- | | | |
|-------|-------|---|
| _____ | _____ | 1. I am an independent contractor working in the construction trades. |
| _____ | _____ | 2. I am not employed by a corporation. |
| _____ | _____ | 3. I have not incorporated my business. |
| _____ | _____ | 4. I am not in a partnership. |
| _____ | _____ | 5. I do not employ, nor do I intend to employ any individual. |
| _____ | _____ | 6. I do not, nor do I intend to hire any subcontractor to perform any work. |

This affidavit is a statement by the affiant that the affiant operates as an independent contractor. By signing this affidavit, the affiant understands that the affiant and the affiant's heirs have no right to recover any benefits under the Worker's Compensation Act from anyone for whom the affiant is operating as an independent contractor should affiant sustain injuries or be killed while in the performance of duties as an independent contractor. This affidavit is binding and holds harmless any person and their workers compensation carrier when the affiant is found to have been injured or killed while operating as an independent contractor by the Worker's Compensation Board. Affiant represents that the affiant has read and understands this affidavit; that the affiant has had an adequate opportunity to seek and receive the advice of counsel prior to executing this affidavit; and that the affiant freely and without duress or concern has executed this affidavit.

Signature

Date

Attention Builder

The following documentation is needed for submittal of all Residential Building Permit Applications.

*** If you do not have information listed below – We CANNOT process your building permit.

- Building permit application filled out completely and accurately.
- 2 plans submitted, stamped by an IL Licensed Architect.
- Plat must be drawn by professional engineer and match approved engineering for the subdivision and designed to include the information as outlined on the attached engineering form.
 - ADDITIONAL INFORMATION MUST ALSO BE INCLUDED ON THE PLAT:
 - Front, middle, rear, & side grades on lot
 - Slope on driveway-distances to lot line (if side load MUST maintain 26' of pavement along with 5' of green space)
 - Square footage of lot
 - ❖ The Village of Frankfort will not issue individual building permits for lots that deviate from the approved plan
- List of contractors: Contractors must be licensed, bonded and insured at time of issuance.
- Window information from manufacturer.
- HVAC information provided by the HVAC contractor and/or architect.
- Res-Check form filled out (www.energycodes.gov) (or prescriptive method 2009 IECC)
- Developer/HOA/ARC Approval if applicable.
- Residential Elevation filled out & completed (Anti-Monotony Form)
- Arborist Report for construction on wooded lots.
- If house has a deck: specifications on deck must be included along with location on plat of survey.

GENERAL CONTRACTOR: _____

Address of Construction: _____

Subdivision: _____

Lot #: _____

Phone #: _____

SIGNATURE: _____

Date: _____

BUILDING DEPARTMENT

Residential ENGINEERING Review

Date: _____

ATTENTION: _____

Subdivision: _____

Lot: _____

GENERAL CONTRACTOR: _____

Address: _____

Telephone: _____

STORM WATER MANAGEMENT PLAN

100 YR Overflow on Property: _____

Drainage Route: _____

Identify (Finished Basement Floor) elevation in relation to the H.W.L. (High Water Line) of adjacent detention ponds: _____

- If rear property line is higher than foundation, sufficient grades are required to show flow around house (horseshoe grading).

Rear Yards: (1-10%): _____

Top of Foundation Proposed: _____

L/O Elevation: _____

W/O Elevation: _____

- Any proposed walk-out (WO) and look-out (LO) basement foundations must be designated on the plans.
- Stepped foundations must identify finished grades as they relate to the approved drainage plans of the subdivision.

Lot Lines/low flow areas: (1% minimum) _____

Side Yards: (1-20%): _____

Garage Location: _____

Driveway: (2-8%) Limit area / show location: _____

APPROVED FOR PERMIT: _____

- ADDITIONAL COMMENTS:

Village of Frankfort
RESIDENTIAL MONOTONY FORM

Permit# _____

In order to obtain a residential building permit within the Village of Frankfort, the following information must be submitted with your building permit application:

Date _____

Address _____ Lot: _____

Subdivision: _____

General Contractor: _____ Phone: _____

GC e-mail Address: _____

Anti-Monotony Requirements

In a residential subdivision, monotony shall be avoided, although styles should be complementary and related to indigenous architecture. As determined and enforced by the Village of Frankfort Development Services Department, no two (2) dwellings of substantially similar or identical front elevation or façade shall be constructed within three(3) lots on either side of the subject property on both sides of the street. For the purpose of this section a public right-of-way shall be counted as a lot. To be considered dissimilar, the elevations of a proposed home must differ from the other homes in a minimum of four (4) of the following characteristics:

1. Roof type (gable, hip, mansard, gambrel or combination)
2. Number of stories
3. Shape of front elevation silhouette
4. Relative location and size of windows on front elevation
5. Entry treatments, including but not limited to covered / uncovered porches, recessed or projected entries, etc
6. Garage orientation
7. Building materials and color scheme
8. Distinctly different architectural style including but not limited to colonial, craftsman, Victorian, etc

(Article 7 Part 6 Zoning Ordinance 2001, as amended in 2013)

Village of Frankfort Residential Monotony Form

Permit # _____

In order to obtain a residential building permit within the Village of Frankfort, the following information must be submitted with your building permit application.

Date : _____

Address: _____

Lot #: _____

Subdivision : _____

General Contractor: _____

Phone #: _____

Elevation Requirements

In a residential subdivision, monotony shall be avoided, although styles should be complementary and should relate to indigenous architecture. As determined and enforced by the Village of Frankfort Development Services Department, no two (2) dwellings of substantially similar or identical front elevation or façade shall be constructed or located within three (3) lots on either side of the subject property on both sides of the street.

Please provide a brief description of each adjacent lot, and a **color picture** of existing structure if constructed upon.

Lot # _____ Description _____

Lot # _____ Description _____

Office use only:
Permit Number:



Building Permit Application
432 W. Nebraska Street, Frankfort, IL 60423
Phone (815) 469-2177 Fax (815) 469-7999

New Home () Room Addition () Remodeling () Other ()

Application Date ____/____/____ Permit Date ____/____/____

Project Address _____

Real Estate Tax Index Number (PIN) ____-____-____-____-____

Total sq. ft. of work _____ Estimated Cost of Construction _____

Lot Number _____ Subdivision Name _____

Property Owner _____ Phone _____
Address _____ Fax _____
_____ e-mail _____

Tenant Name of Property _____ Phone _____
Address _____ Fax _____

Project description statement _____

Architect _____ Phone _____
Address _____ Fax _____
_____ Cell _____

Engineer _____ Phone _____
Address _____ Fax _____
_____ Cell _____

Contractor Information:

General Contractor _____ Phone _____
Address _____ Fax _____

Carpentry Contractor _____ Phone _____
Address _____ Fax _____

Excavation Contractor _____ Phone _____
Address _____ Fax _____

Concrete Contractor _____ Phone _____
Address _____ Fax _____

Electrical Contractor _____ Phone _____
Address _____ Fax _____

Plumbing Contractor _____ Phone _____
Address _____ Fax _____

Sewer & Water Contractor _____ Phone _____
Address _____ Fax _____

Radon Piping Contractor _____ Phone _____
Address _____ Fax _____

HVAC Contractor _____ Phone _____
Address _____ Fax _____

Masonry Contractor _____ Phone _____
Address _____ Fax _____

Insulation Contractor _____ Phone _____
Address _____ Fax _____

Drywall Contractor _____ Phone _____
Address _____ Fax _____

Roofing Contractor _____ Phone _____
Address _____ Fax _____

Gutter/Soffit Contractor _____ Phone _____
Address _____ Fax _____

Flooring Contractor _____ Phone _____
Address _____ Fax _____

Painting & Decorating Contractor _____ Phone _____
Address _____ Fax _____

Paving Contractor _____ Phone _____
Address _____ Fax _____

EIFS Contractor _____ Phone _____
Address _____ Fax _____

Other Contractor _____ Phone _____
Address _____ Fax _____

The applicant hereby certifies to the correctness of the information and agrees to comply with all codes of the Village of Frankfort. In the event of a conflict between the approved document, any approved plans or inspections, with regard to the building and zoning code, the owner or his agent is not relieved from the responsibility to conform to all applicable codes and ordinances.

Signature _____ Date _____
Owner

Signature _____ Date _____
General Contractor

Company Letterhead

Phone
(815)
555-555-5555

Phone
(708)
555-555-5555

Mailing Address: P.O. Box 1234, Frankfort, IL 60423
Fax (555) 555-5555 Warehouse Address: 123 Anywhere
Website: www.yourcompany.com Email: yourcompany@mail.com

Date

To Whom It May Concern:

Company Name (IL contractor license # **055-000000**) will be doing all the plumbing necessary for the work at **Street Address**.

The homeowners name is **John Doe**. The property ID number is 00-00-000-000-0000.

The plumbing will consist of (**Example:**) **1" type L copper, a ball valve and drain, a Watts U919AQT reduced pressure backflow valve**.

The valve will be certified the day we do the plumbing.

If there are any questions or problems about the job please feel free to call us.

Sincerely,

Joe Plumber, **position in company**

Notary Seal if Not a corporation.

If incorporated, affix corporate seal here.

(225 ILCS 320/37) (from Ch. 111, par. 1135)

Sec. 37. Each governmental unit which is authorized to adopt and has adopted any ordinance or resolution regulating plumbing may provide for its administration and enforcement by requiring permits for any plumbing system installation, the inspection of plumbing system installations by inspectors who are licensed as plumbers in accordance with the Illinois Plumbing License Law, and the issue of certificates of approval or compliance which shall be evidence that a plumbing system has been installed in compliance with the Code of standards so adopted.

A letter of intent shall be included with all plumbing permit applications. The letter shall be written on the licensed plumber of record's business stationery and shall include the license holder's signature and, if the license holder is incorporated, the license holder's corporate seal. If the license holder is not incorporated, the letter must be notarized.

A governmental unit authorized to adopt regulations may, by ordinance or resolution, prescribe reasonable fees for the issue of permits for installation work, the issue of certificates of compliance or approval, and for the inspection of plumbing installations.

(Source: P.A. 94-132, eff. 7-7-05.)

Company Letterhead

Phone
(815)
555-555-5555

Phone
(708)
555-555-5555

Mailing Address: P.O. Box 1234, Frankfort, IL 60423
Fax (555) 555-5555 Warehouse Address: 123 Anywhere
Website: www.yourcompany.com Email: yourcompany@mail.com

Date

To Whom It May Concern:

Company Name will be doing all the electric necessary for the work at ***Street Address***.

The homeowners/general contractor name is ***John Doe***. The property ID number is 00-00-000-000-0000.

The electric will consist of (***Example:***) ***“Work to be done “***

If there are any questions or problems about the job please feel free to call us.

Sincerely,

Joe Electric, ***position in company***

Notary Seal if Not a corporation.

If incorporated, affix corporate seal here.

VILLAGE OF
FRANKFORT
EST • 1855

CHANGE OF CONTRACTOR FORM
432 W. NEBRASKA STREET
FRANKFORT, IL 60423
Phone (815) 469-2177 FAX: (815) 469-7999

Date: _____

Permit #: _____

Date Changed: _____

PROPERTY ADDRESS: _____

OWNER OF PROPERTY: _____

GENERAL CONTRACTOR: _____

OLD CONTRACTOR INFORMATION:

Contractor Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Type of Contractor: _____

License #: _____

NEW CONTRACTOR INFORMATION:

Contractor Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Type of Contractor: _____

License #: _____

SIGNATURE: _____ DATE: _____

** All Contractors are required to have a Surety Bond and Certificate of Insurance made out to the Village of Frankfort. Plumbing and Roofing Contractors require a copy of the State License. Electrical Contractor must submit their license from the municipality with an electrical testing commission. Please check before testing for an electrical license.*