

[View this email in your browser](#)



Stormwater Control Measure Maintenance Tips

Welcome!

This is the twelfth installment of Cuyahoga Soil & Water Conservation District's (SWCD) Stormwater Control Measure Maintenance Tips publication, an outreach campaign to deliver useful information and seasonal tips for property owners, managers, contractors, and HOAs to assist you with your stormwater control measure (SCM) maintenance needs. You are receiving this email because our records indicate you own or maintain an underground SCM.

There are many types of underground SCMs in Cuyahoga County. It is important that you have detailed drawings and a long-term operation and maintenance plan for the specific system at your site.

See our Winter Maintenance Tips below.



Lakewood staff opening an underground SCM for inspection.

General Underground SCM Maintenance Tips

JANUARY 2019

Let it snow, let it snow, let it snow. But avoid plowing snow into storm drains and stormwater control measures.

Make sure your snow plow drivers are aware of storm drain and stormwater inlets and consider marking their locations to prevent damage.

Schedule a contractor for annual inspection of your underground SCM in the spring.

Featured SCM Maintenance Tips

Maintenance tips have been provided for the following underground SCMs:

[Aquashield Aqua Filter](#)

[Aquashield Aqua Swirl](#)

[FLOGARD Catch Basin Insert Filters](#)

[Contech CDS](#)

[Contech StormFilter](#)

[Contech VortSentry](#)

[Hancor Water Quality Unit](#)

[Sand Filter](#)

[Stormtech Isolator Rows](#)

[Tree box Filters](#)

[Underground Detention](#)

Do you maintain an SCM that we have not covered? Please email us at ehiser@cuyahogawcd.org or call 216-524-6580 extension 1002 to let us know so we can include maintenance tips relevant to your SCM this year.

Have Questions?

For more detailed information about routine and non-routine maintenance of stormwater control measures (SCMs), download the *Maintaining Stormwater Control Measures Manual* here: www.neohiostormwater.com

- Underground detention details can be found on page 27
- Routine and non-routine maintenance details can be found on page 30
- Underground detention maintenance details can be found on pages 39 and 40
- An underground detention inspection checklist can be found on page 73

Cuyahoga SWCD can answer questions and provide additional guidance about maintaining your underground SCM. Please e-mail us at cregener@cuyahogawcd.org or call 216-524-6580 extension 1002.



Copyright © 2019 Cuyahoga SWCD, All rights reserved.

You are receiving this email because our records indicate you own or maintain an underground stormwater control measure.

Our mailing address is:

Cuyahoga SWCD
3311 Perkins
Suite 100
Cleveland, Ohio 44114

[Add us to your address book](#)

Want to change how you receive these emails?
You can [update your preferences](#) or [unsubscribe from this list](#).

