Lancaster County Council Public Safety Committee Regular Meeting Agenda

Tuesday, May 22, 2018

County Council Conference Room County Administration Building 101 N. Main Street Lancaster, SC 29720

1. Call to Order – Committee Chair Brian Carnes

5:00 p.m.

- 2. Approval of the agenda [deletions and additions of non-substantive matters]
- 3. Citizens Comments
- 4. Approval of Minutes from the March 12, 2018 Public Safety Committee regular meeting pgs. 2-3
- 5. Discussion / Action Items
 - a. Resolution 1000-R2018 regarding Approval of Heath Springs and Kershaw Utilizing the Magistrate's Court

Resolution Title: A Resolution To Approve The Requests From The Towns Of Heath Springs And Kershaw To Utilize The Magistrate's Court For The Prosecution Of Municipal Court Cases. – *Steve Willis – pgs. 4-8*

- b. Discussion of Discharge of Firearms in the County Ms. Dunn
- c. Charlotte Rd/Van Wyck Fire Department Budget Request *Craig Roof/Mark Carnes/Russell Rogers* pgs. 9-21
- 6. Adjournment

Anyone requiring special services to attend this meeting should contact 285-1565 at least 24 hours in advance of this meeting.

Lancaster County Council Public Safety Committee agendas are posted at the Lancaster County

Administration Building and are available on the Website: www.mylancastersc.org

Members of Lancaster County Council Public Safety Committee

Brian Carnes, District 7, Chairman Larry Honeycutt, District 4 Billy Mosteller, District 3



Minutes of the Lancaster County Council Public Safety Committee OPA **Regular Meeting**

101 N. Main Street, Lancaster, SC 29720

Monday, March 12, 2018

Council Members present were Brian Carnes, Larry Honeycutt, Billy Mosteller, Jack Estridge, Steve Harper, Charlene McGriff and Terry Graham. Also present were John Weaver, Chelsea Gardner, and various Department Heads. A quorum of the Lancaster County Public Safety Committee was present for the meeting.

The following press were notified of the meeting by e-mail in accordance with the Freedom of Information Act: Lancaster News, Kershaw News Era, The Rock Hill Herald, Fort Mill Times, Cable News 2, Channel 9 and the local Government Channel. The agenda was posted in the lobby of the County Administration Building and also on the county website for the required length of time.

Call to Order

Chairman Brian Carnes called the meeting to order at approximately 5:30 p.m.

Approval of the Agenda

Billy Mosteller moved to approve the agenda. Seconded by Larry Honeycutt. The motion to approve the agenda passed by unanimous vote of 3-0.

Citizens Comments

There were no citizens that came forward for comments.



Approval of Minutes

Larry Honeycutt moved to approve the minutes from the February 13, 2018 Public Safety Committee regular meeting. Seconded by Billy Mosteller. The approval of the minutes passed by unanimous vote of 3-0.

Discussion / Action Items

Future of joint public safety telecommunications activity

Stephen Blackwelder, Lancaster County Public Safety Communications Director stated that the City of Lancaster has approached the County to become a joint telecommunications center. Stephen Blackwelder stated that he has the technical side of things working and will be done in phases. As far as City Fire, Stephen stated his goal by April 30th to be fully dispatching City Fire. Stephen stated that he was just wanting to inform the committee where everything stands concerning this matter. Stephen Blackwelder stated that the center is set up for 12 dispatchers they currently have six dispatchers on a shift. Brian Carnes stated that this matter will be handled as a part of the budget process.

Executive Session

Billy Mosteller moved to go into Executive Session to discuss an incident to two (2) proposed contractual matters. Seconded by Larry Honeycutt. The motion to go into Executive Session passed by unanimous vote of 3-0.

Larry Honeycutt moved to come out of Executive Session. The motion to come out of Executive Session passed by a vote of 3-0.

Adjournment

The Public Safety Committee meeting was adjourned.

Respectfully Submitted:	Approved by the Public Safety Committee
Chelsea Gardner	
Deputy Clerk to Council	Brian Carnes, Chairman

2 | Page



Agenda Item Summary

Ordinance # / Resolution#:

Resolution No. 1000-R2018

Contact Person / Sponsor:

Steve Willis

Department:

Administration

Date Requested to be on Agenda:

May Public Safety Committee

May 29, 2018 County Council Meeting

Issue for Consideration:

County Council consent for the Towns of Heath Springs and Kershaw to utilize Magistrate's Court.

Points to Consider:

Both the Town of Heath Springs and the Town of Kershaw desire to close their municipal courts and utilize Magistrate's Court. Chief Magistrate Curtisha Mingo has reviewed the case loads from both towns and determined this will not adversely impact Magistrate's Court. Both Senators Gregory and Sheheen have given their consent as the Senate appoints Magistrates.

This process is governed by SC Code 14-25-5(C):

SECTION 14-25-5. Establishment of municipal courts by ordinance; facilities for courts; use of magistrate's court by municipality.

(c) Any municipality may prosecute any of its cases in any magistrate court in the county in which such municipality is situate upon approval by the governing body of the county.

Funding and Liability Factors:

No additional funding will be required.

Council Options:

Approve or reject the Resolution.

Staff Recommendation:

Approve the Resolution.

Committee Recommendation:

To be determined.

STATE OF SOUTH CAROLINA	()	
)	RESOLUTION NO. 1000-R2018
COUNTY OF LANCASTER)	

A RESOLUTION

TO APPROVE THE REQUESTS FROM THE TOWNS OF HEATH SPRINGS AND KERSHAW TO UTILIZE THE MAGISTRATE'S COURT FOR THE PROSECUTION OF MUNICIPAL COURT CASES.

Be it resolved by the Council of Lancaster County, South Carolina:

Section 1. Findings.

WHEREAS, Lancaster County Council has received requests from the Town of Heath Springs and the Town of Kershaw to utilize the Magistrate's Court, and

WHEREAS, Chief Magistrate Curtisha Mingo advises the case load from both towns is minimal and can be handled by the Magistrate's Court system, and

WHEREAS, Senators Greg Gregory and Vincent Sheheen have consented to this request, and

WHEREAS, such action is taken in conformity to South Carolina State Code §14-25-5(c).

Section 2. Authorization by County Council.

By way of Resolution Number 1000-R2018 the Lancaster County Council hereby approves the requests from the Town of Heath Springs and the Town of Kershaw pursuant to the South Carolina Code of Laws.

Section	3	Effective	date
Decuon	J.	LHCCHYC	uaic.

This Resolution is effective upon its adoption.

AND IT IS SO RESOLVED

	Dated this	day of	, 2018.	
		LANCASTER	COUNTY, SOUTH CA	ROLINA
(SEAL)				
		Steve Harper, C	hair, County Council	
		Larry Honeycut	t, Secretary, County Cou	ıncil
ATTEST:				
		-		
Sherrie Simp	son, Clerk to Council			

TOWN OF KERSHAW

Continued Progress, A Goal



Community Pride, A Reality

Friday, May 04, 2018

Mr. Steve Willis Lancaster County Administrator County Administration Building P.O. Box 1809 Lancaster, SC 29721

Dear Mr. Willis:

On April 16, 2018 the Town Council voted to contact Lancaster County pursuant to SC 14-25-5 requesting to utilize Lancaster County Magistrate Court in the prosecuting of any municipal cases of the Town of Kershaw.

The reasons for this request are as follows:

- 1. The Municipal Judge is retiring.
- 2. Due to Lancaster County Sheriff Department being contracted for law enforcement duties within the Town of Kershaw, utilizing the County Magistrate System would allow an easier process for the Sheriff Department.

This letter is to serve as the official request for the Town of Kershaw to prosecute any of its cases in any magistrate court in Lancaster County.

The Town of Kershaw understands that specific guidelines must be followed to accomplish this request. If there is more information that is needed or that I may need to attend the Council Public Safety Committee meeting, please notify me.

Thanks in advance for your assistance in this very important matter.

Sincerely,

Administrator



Post Office Box 100 • Heath Springs, SC 29058 803-273-2066 • Fax 803-273-3478

May 7, 2018

Mr. Steve Willis Lancaster County Administrator P. O. Box 1809 Lancaster, SC 29720

Dear Steve,

The Town of Heath Springs would like to utilize the Magistrate Court pursuant to SC 14-25-5(c). The Town has not had a new case since July 1st of last year and should not be a burden at all on the Magistrate Court system.

Sincerely,

Tony Starnes

1 ony Stann

Town of Heath Springs

Charlotte Rd/ Van Wyck Fire Dept Budget Request

We are requesting capital funding for the items listed below out of the Development Safety Fund. We have brought this to the Public Safety Committee in the past and were asked to come back with more complete information.

History

Charlotte Rd/ Van Wyck is funded primarily through fundraisers which provides limited funds for projects such as the items listed below. We use most of the monies raised to participate in the county matching fund program in order to purchase equipment for the fire department. We have applied for grant funding from the V Safe grant program in the past but we have been denied up to this point. Currently we have 10 members on the roster and respond to around 190 calls for service per year. This number has been increasing each year with the growth and we expect it to continue as stated in the impact fee study by Catawba COG, "Over this three-year period Charlotte Road/Van Wyck FD saw a 57.7% increase in residential and commercial properties".

Request

	Total	\$169,053.73
•,	Hurst Edraulic Tools	\$29,289.60
•	Gear Dryer	\$ 6,799.00
•	Gear Washer	\$ 8,755.29
•	PPE (10 Sets)	\$60,652.80
•	Rope Rescue Equipment	\$ 4,537.74
•	Compressor to fill Cascade System	\$26,642.34
•	Cascade System for Rescue 531	\$32,376.96

Justification

Cascade System – A cascade system is needed on Rescue 531 to allow us to re-fill SCBA cylinders at emergency scenes. With volunteer departments, there is no guarantee that a neighboring department will be dispatched or have members available to bring another rescue vehicle with a cascade system. This will allow us to respond Rescue 531 to our calls and to assist other stations on larger incidents. The cascade system will also allow us to perform much needed SCBA training at the station without having to take cylinders out of service until they can be refilled at another location.

High Pressure Air Compressor for station – This new compressor is needed to be able to fill the Cascade system on Rescue 531. Having the compressor at the station will keep us from having to take the Rescue to another station and wait 2-3 hours for the cascade system to fill, thereby tying up our truck and the time of a member of a neighboring department.

Rope Rescue Equipment – The county has supplied us with the basic rope rescue equipment, ropes, harnesses, pulleys, etc. to enable us to do a single haul system at an emergency scene. Charlotte Rd/Van Wyck fire department has multiple locations where vehicles could be down an embankment that would require longer lengths of rope and perhaps multiple haul system. We are requesting the new rope equipment to be able to add a second haul system with longer reach and also more harnesses for low angle rescue.

PPE (Personal Protective Equipment) – NFPA 1971 requires all PPE to be replaced every 10 years of service. We have PPE for several members that is coming close to the replacement time. Also, NFPA 1851 stresses cleaning gear after a structural incident or MVA where the gear could have been exposed to chemicals. Having a second set of gear will enable members to clean one set of gear without having to take the gear out of service, thereby rendering the firefighter without gear if a call were to come in while the gear was being cleaned.

Gear Washer/Dryer – A gear washer and dryer at the station would allow us to wash our gear after an incident without having to take the gear to a neighboring department or dry cleaner. NFPA 1851 stresses that gear should not be taken to our homes and washed due the possible chemicals that could be contaminating our PPE, which could be spread to articles in our homes thereby affecting our family members. The gear washer/dryer we have proposed will wash/dry 2 sets of PPE at one time.

Hurst Edraulic Tools – Currently, we house our Edraulic O-cutter, Ram, and Spreader on our Rescue 531, along with associated cribbing/tools for an MVA. While we make every effort to respond to all calls, as you know, volunteer departments are sometimes limited by lack of drivers/personnel at any given scene, and we have had incidents where a tool quit working and we needed a backup. We request the new Edraulic Tools so that we can have a set of tools on our Engine 501 also, in case that truck is the only one that responds to the incident.

Comments

We know that this is a significant amount of money to request but we feel that the need it there for all of the equipment. There is no guarantee that the money will be available in the future, as other agencies in the Panhandle Area, fire, police, and EMS, have already used a major portion of the funds to date. We are currently taking steps to have our fire district become a Fee funded district, but this will take time, and unfortunately, we have building needs and full-time personnel needs that will take up most of the Fee revenue.

Thanks for all you do for us and for considering this request.

Sincerely,

Charlotte Road/Van Wyck Fire Department Chief Officers

rescueDIRECT, Inc.

Quote

www.rescueDIRECT.com 500 North Mill Street Utica, IL 61373 Toll-Free 1 (888) 667-7170

CUST. ID	QUOTE NO.	DATE	QUOTE ID
82700	2879	19-Feb-2018	

SOLD TO
Craig Roof
Charlotte Road / Van Wyck Fire Department
4455 Old Hickory Rd
Lancaster SC 29720

SHIP TO

Craig Roof
Charlotte Road / Van Wyck Fire Department
4455 Old Hickory Rd
Lancaster SC 29720

Ship via:	UPS Ground			
SKU	Description	Ordered	Unit Price	Total
8016-Blue	BlueWater 8mm Prusik Cord	100	\$0.52	\$52.00
8016-Yellow	BlueWater 8mm Prusik Cord	100	\$0.52	\$52.00
200111	CMC Rescue 1" Flat Webbing - Orange	100	\$0.52	\$52.00
200117	CMC Rescue 1" Flat Webbing - Yellow	100	\$0.52	\$52.00
333000	CMC MPD - Multi Purpose Rescue Device - 1/2" (13 mm)	1	\$661.50	\$661.50
FE2120N	RQ3 Q8 Rescue 8 - NFPA	4	\$53.00	\$212.00
202834M	CMC Helix Harness - MEDIUM	2	\$405.00	\$810.00
202835L	CMC Helix Harness - LARGE	2	\$405.00	\$810.00
OPGF55LNFPA	Omega Pacific G-FIRST Aluminum Screw-Lok Carabiner - BLACK - NFPA G!	10	\$34.15	\$341.50
5089	CMI 2 inch Pulley RP115	4	\$31.45	\$125.80
534830_YE_BL	BlueWater SafeLine NFPA Static Rope 1/2" x 300' - YELLOW w/Blue	1	\$342.00	\$342.00
534830_RD_YE	BlueWater SafeLine NFPA Static Rope 1/2" x 300' - RED w/Yellow	1	\$342.00	\$342.00
430301-Red	CMC #3 Rescue Rope Bag	1	\$79.20	\$79.20
430301-Yellow	CMC #3 Rescue Rope Bag	1	\$79.20	\$79.20
EP305-Black	EVAC Rescue Equipment Binder	1	\$73.75	\$73.75
GIBBS3S	Gibbs Ascender - #3S, 1/2" Stainless Steel, Spring Loaded	2	\$59.62	\$119.24
5889	SMC 3" Prussik Minding Pulley - NFPA	4	\$81.90	\$327.60
		COMMON Reconstruction (Control of Control of	Subtotal Shipping Sales Tax Total	\$4,531.79 \$5.95 \$0.00 \$4,537.74



6701-C Northpark Blvd Charlotte, NC 28216

Quote

Page 1 of 2 Date

Quote # Expires 7/20/2017 QT1110056 8/19/2017

Sales Rep

Humphries, Ronald

PO#

Shipping Method

FedEx Ground

Bill To CHARLOTTE RD / VAN WYCK ... P.O. BOX 38 Van Wyck SC 29744 United States

Ship To

ATTN: Admin Assistant CHARLOTTE RD / VAN WYCK VFD 4455 OLD HICKORY RD Lancaster SC 29720 United States

HT-TRA-EV1-Black	The state of the s	Honeywell EV1 Traditional Helmet MES01400723-MES1400729	8 13	323.00	4,199.00
HT-TRA-EV1-White		Honeywell EV1 Traditional Helmet MES01400723-MES1400729	2	323.00	2584 646.00
M1x-G-L		M1x FireFit - Gauntlet - Black/Red - Size: Large	3 8	68.00	340.00
M1x-G-XL	and conditions	M1x FireFit - Gauntlet - Black/Red - Size: X-Lar	7 10	68.00	26 4 680.00
GB-B80RS-R		Jumbo Gear Bag (GB-15563)	1015	50.00	476 750.00
GOLFIRE	The state of the s	Custom GOLFIRE 6" Leather Front for Helmets	10 15	42.85	500 642.75
4301400-10-Wide	Stiffle Warrant	Supralite 14" Pull-On	(015	448.00	428.5 6,720.00
3042093-MES		Ultimate Cobra Carbon Shield Knit Firefighting Hood	(015	27.15	407.25
Globe G-XCEL Coat	D2258G	D2258G Globe G-XCEL Coat GLOBE G-XCEL COAT 29/33 OR 32/36 LENGHT KOMBAT FLEX OUTER SHELL QUANTUM 41 THERMAL LINER, CROSSTECH BLACK MOISTURE BARRIER, NYC STYLE TRIPLE TRIM SCOTCHLITE, 13PB RADIO POCKET ON LEFT CHEST, MIC CLIP ON LEFT CHEST, FLASHLIGHT HOLDER ON RIGHT CHEST,DRAGON HIDE CUFFS,GREY NOMEX THUMBHOLES,PADDED ELBOWS, 3" SCOTCHLITE LETTERS CR/VWFD ON BACK OF JACKET AND 5X20 HANGING LETTER PATCH WITH LETTERS, HANDWARMER //FLEECE POCKETS ON COAT, ZIPPER/VELCRO CLOSURE SYSTEM AND ALL OTHER STANDARD FEATURES	1048	1,520.00	271.5 22,800.00 15,200
Globe G-XCEL Pant	E2258G	E2258G Globe G-XCEL Pant GLOBE G-XCEL PANT WITH BELT/BELT LOOPS CLOSURE SYSTEM, KOMBAT FLEX OUTER SHELL, QUANTUM 4I OUTER SHELL, CROSSTECH MOISTURE BARRIER, 3" TRIPLE TRIM SCOTCHLITE AROUND CUFFS, DRAGON HIDE CUFFS, DRAGON HIDE KNEE REINFORCEMENTS, SILIZONE KNEE PADDING FOR KNEES, 10X 10X 2" POCKETS ON SIDES OF LEGS, SIX PACK TOOL COMPARTMENT ON INSIDE OF ONE POCKET, ONE FULL COMPARTMMENT, BOTH POCKETS WITH FULLY LINED KEVLAR TWILL MATERIAL, BLACK PADDED SUSPENDERS	10 15	1,190.00	17,850.00) 900
38903		Vantage 180 - includes two CR123A lithium batteries, helmet bracket. Box. Black	10 15	75.00	1,125.00



MUNICIPAL EMERGENCY SERVICES

6701-C Northpark Blvd Charlotte, NC 28216

Quote

Date

8/28/2017

Quote #

QT1118126

Expires

9/27/2017

Sales Rep

Humphries, Ronald

PO#

Shipping Method

FedEx Ground

Bill To CHARLOTTE RD / VAN WYCK ... P.O. BOX 38 Van Wyck SC 29744 United States Ship To ATTN: Admin Assistant CHARLOTTE RD / VAN WYCK VFD 4455 OLD HICKORY RD Lancaster SC 29720 United States

272085412	*	p.E.	Hurst 110v E2 Pwr Supply w/Plg	1	625.00	625.00
271555000			SP 555E2 Spreader Package w/ charger and 2 EXL batteries	1	10,250.00	10,250.00
272085000			Hurst S700E2 w/EXL Batts&Chrgr S700E2 CUTTER	1	9,115.00	9.115.00
274085000			Hurst R421E2 w/EXL Batts&Chrgr R421E2 RAM	. 1	7.130.00	7,130.00

| Shipping Cost (FedEx Ground) | 27,120.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

This Quotation is subject to any applicable sales tax and shipping & handling charges that may apply. Tax and shipping charges are considered estimated and will be recalculated at the time of shipment to ensure they take into account the most current local tax information.

All returns must be processed within 30 days of receipt and require a return authorization number and are subject to a restocking fee. Custom orders are not returnable. Effective tax rate will be applicable at the time of invoice.



40



127 Overland Drive #B, W. Columbia, SC 29172 (803) 779-2390, (800) 766-0926, Fx: (803) 252-0049 Cell: (803) 261-4545

Attn: Craig Roof

Ship to address

Charlotte Road-Van Wyck Fire Dept. Charlotte Road-Van Wyck Fire Dept.

Description

P.O. Box 38

4455 Old Hickory Road

Van Wyck, SC 29744 Ph: (803) 285-4281

Van Wyck, SC 29744

CI:

Qty

(803) 762-8229

craig.roof@yahoo.com Em:

Submitted By: Quote Date:

Gary Palmer February 2, 2018

Quote Number: Quote Valid Until:

CV180202 March 2, 2018

Extended Price

Remittance Address

Consolidated Laundry Equipment Inc

530 Maywood Avenue Raleigh, NC 27603

Ph: Fx:

(919) 832-4624

Unit Price

(919) 830-3070

We are pleased to offer the following quote

Qty	Omt Frice	Exterided Price
1 UniMac UCN030HNFXU2001 Washer/Extractor 208-240/60/1-3	\$5,547.00	\$5,547.00
9 Cycle - 8 Segment Advanced Micro Processor, 100G Max Extract		
1 UniMac ACBF30X6X110001 Steel Base Frame	\$300.00	\$300.00
1 Chemical Package For Cleaning Turn Out Gear. (Optional). 120/60/1 ph	\$1,200.00	\$1,200.00
(2) 49-1000-5 5 Gal. Turnout Gear Wash™, (1) 51-1315-2 2.5 Gal. Opticide Disinfectant™		. ,
(1) 831K.1.1 Dema 2 pump Chemical Dispensing System - Installed		
(1)	The Manager	\$7,047.00
Factory Freight		\$207.90
,,	***************************************	\$7,254.90
Installation: (see Scope of Work)		\$850.00
	Management	\$8,104.90
8,00% SC State Sales Tax		\$648.39
	ORGO	\$8,753.29
SC White Goods Disposal Fee (\$2.00/PC)		\$2.00
Ville Goods Disposal For (water Sy	delaceron	\$8,755.29
		ψο,,, σο.25
Terms of Sale: A 25% non-refundable deposit in the amount \$2,188.82 is due with order. B	alance due at ti	me of delivery.
Warranty: All parts are covered for a period of three years (36 months). The basket and shaft, bearings a	and seals and tra	nme
are covered for a period of five years (60 months). Labor: Ninety (90) days from installation.		
Warranty Exceptions: Warranty is void in the event of vandalism, misuse, operator error, natural dis	asters and othe	er acts of God.
A 2% service fee will be added to all credit card payments in the amount of \$2,500.00 and above.		
Scope of Work: Deliver equipment to property. Set and level, bolt and grout new equipment if required. *M and test run equipment. Train operators. Customer is responsible for clear entry into building, add		
utilities within five (5) feet of equipment.	•	initials
	Atheneus	di dendanta sancia supra di maggiri monorussimpus
* Utility connections are included at the time of delivery only. One trip is included for installation. Ar	y additional trip	s to finish
installation (if required) will be billable. Seller is not responsible for utilities under concrete.		initials
	Street	NATIONAL SECURITION AND ADDRESS OF THE SECURITION OF THE SECURITIES OF THE SECURITION OF THE SECURITIO
Purchaser hereby grants Consolidated Laundry Equipment (seller) a first priority purchase money se	curity interest a	nd lien in
and to all of the equipment and parts purchased as referred to above pursuant to this proposal. Purc		
Consolidated Laundry Equipment to file any and all UCC financing statements and other instruments		
purchaser as Consolidated Laundry Equipment deems necessary to perfect and maintain a first prior		
and to the purchased equipment. This instrument shall be deemed a security agreement under the U		
I accept the terms and conditions of this sales agreement and will require this equipment on:		
1 Monah 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(D	ate)
Signed By:	(1
	***************************************	(Date)
		, ,

Gary Palmer

14

Quote submitted by:



Company Address 1502 Patricia Ave

Brandon, MB R7A7K7

Canada

Created Date

1/26/2018

Expiration Date

12/31/2018

Quote Number

00001266

Prepared By

Lance Dornn

Phone

(888) 393-3379 EZEE-DRY)

Email

lance@ramairgeardryer.com

Fax

(204) 727-0561

Bill To Name

Charlotte Road Van Wyck FD

Bill To

4455 Old Hickory Road

Lanscaster, SC 29720

Contact Name

Craig Roof

Phone

(803) 762-8229

Email

craid.roof@yahoo.com

Ship To Name

Charlotte Road Van Wyck FD

Ship To

4455 Old Hickory Road

Lanscaster, SC 29720

Product	Model Number	List Price	Sales Price	Quantity	Total Price
Shipping & Handling		\$0.00	\$472.92	1.00	\$472.92
Touch Screen 4 place dryer	T4-MU	\$7,899.00	\$6,799.00	1.00	\$6,799.00
Touch Screen heated 4 place dryer	T4-HMU	\$9,099.00	\$7,999.00	1.00	\$7,999.00

210 Labrador Drive Randleman, NC 27317 www.safeairsystems.com toll free 800.424.8633



info@safeairsystems.com phone 336.674.0749 fax 336.674.3688

QUOTE # 0165208

Date:

3/14/2018

Customer Number: 0013437

BILL TO:

LANCASTER COUNTY EMERGENCY

PO BOX 1809

LANCASTER, SC 29721

SHIP TO:

LANCASTER COUNTY CHARLOTTE RD

4421 OLD HICKORY ROAD LANCASTER, SC 29720

Confirm To: CHIEF CRAIG ROOF

PO #

Salaenarean

Con	IIIIII TO. CHIEF CRAIG ROOF	PO#:	Salesperson:	
Qty.	Item		RSL	Amount
1.00	100A	SPACESAVER FILL STATION, 2-PC)S	NATIONAL DE LA CONTRACTOR DE LA CONTRACT
	SPACESAVER FILL STATION	N, 2-POS		
	Over-under design, space-say	ving, containment fill station (NFPA-1901 co	mpliant), complete wi	
1.00	CUSTOM ASSY.	ill door. Includes two (2) fill hoses with adpa	aters and bleed valve	
1.00	FILL VALVE KIT FOR SPACE	FILL VALVE KIT FOR SPACE SAVE	Ŗ	
1.00	ACP-4BK-2P-BV			
1.00	4 BNK ACP, BV W/REFILL, F	4 BNK ACP, BV W/REFILL, REG.		
1.00	95-4/D/H-3"CHAN			
	90-UN-6000A	4 BOTTLE RACK HORIZONTAL 1 X	4	
	CYL-ELB-702	CYLINDER, UN 6000 PSI	_	
7.00	CGA FITTING & ELBOW FOR	CGA FITTING & ELBOW FOR 6000	P	
4 00	AC-12 HY		11.75	
7.00	TULIP RING VALVE PROTEC	TULIP RING VALVE PROTECTOR H	וואט	
	FITS 6000 PSI UN BOTTLES	NORTHBRID		
1.00	50-BA008-3E	BREATHING AIR HOSE 8'		
1.00	50-BA009-3E	BREATHING AIR HOSE 9'		
1.00	50-BA010-3E	BREATHING AIR HOSE 10'		
1.00	50-BA011-3E	BREATHING AIR HOSE 11'		
1.00	CUSTOM ASSY.	3) TILT DOWN SLIDE OUTS WITH A		
	TILT DOWN SLIDE OUTS V	WITH ALUMINUM TRAYS (2) OVER THE B	OTTLE BACK WILL	9
	DE 32 INCHES WIDE 44 INCH	LS DEEP AND THE ONE SMALLER TRAY	Y WILL BE 52 INCHE	
	SIDES	ALL THE TRAYS WILL HAVE 2 INCH HIG	SH LIPS ON THE	
1 00 1	NSPARTS	100 FT LOW PRESSURE HOSE REE	-1	
		SE REEL ELECTRIC REWIND	EL,	
2.00 F	FTX48			
1.00 9	97-BALL			
	93-CMP-SS			
1.00 9	91-FLANGE/NIP			
1.00 9 5.00 8 1.00 E	97-BALL 801-6-BLK-RL B30-5BP-SL 93-CMP-SS	GE REEL, ELECTRIC REWIND CONN., #4 MJIC X 1/2" MP HOSE REEL BALL 3" 3/8" PUSHLOK HOSE BLACK QUICK DISC/BARB WALL MOUNT REG. PANEL 6K FLANGE 1/4" FLOOR		

Safe Air Systems is a Master Distributor for



Continued





1.00 /FREIGHT 60.00 /SHOP LABOR ES-FREIGHT ES-SHOP LABOR

THIS QUOTE IS FOR SAFE AIR TO INSTALL THE FOLLOWING EQUIPMENT IN YOUR TRUCK.

- * SPACESAVER 100 A (2) POSITION FILL STATION, WITH 4 BANK AIR CONTROL PANEL WITH 6000 PSI REFILL PORT, 4 BANK CONTROLS TO INCLUDE INDIVIDUAL LINE VALVES AND PRESSURE GAUGES. 0-6000 PSI ADJUSTABLE REGULATOR, REGULATED PRESSURE GUAGE, (2) FILL VALVES AND (2) FILL PRESSURE GUAGES.
- * (4) 6000 PSI UN STORAGE CYLINDERS WITH CGA FITTINGS & VALVE PROTECTORS PER NFPA 1901. ALSO INCLUDE HP HOSE'S TO CONNECT CYLINDERS TO THE AIR CONTROL PANEL.
- * (3) TILT DOWN SLIDE OUTS WITH ALUMINUM TRAYS (2) OVER THE BOTTLE RACK WILL BE 52 INCHES WIDE 44 INCHES DEEP AND THE ONE SMALLER TRAY WILL BE 52 INCHES WIDE AND 30 INCHES DEEP. ALL THE TRAYS WILL HAVE 2 INCH HIGH LIPS ON THE SIDES...
- * 100 FT LOW PRESSURE HOSE REEL, ELECTRIC REWIND WITH 100 FT LP HOSE, BALL STOP AND LP QUICK CONNECT WITH PARK.
- * LP HOSE REEL CONTROLS THAT INCLUDE WALL MOUNT PANEL, SUPPLY GAUGE, 0-400 PSI ADJUSTABLE REGULATOR, REGULATED PRESSURE GUAGE.
- *** CUSTOMER TO BRING TRUCK TO OUR SHOP IN RANDLEMAN, NC FOR EQUIPMENT TO BE INSTALLED. THE CUSTOMER TO PICK UP TRUCK AFTER EQUIPMENT IS INSTALLED AND USER TRAINING WILL BE GIVEN AT THAT TIN


Includes: * Estimated Freight * * Setup, installation and piping * * Startup and System Verification * * Comprehensiv User Training * Terms: NET 30 DAYS Delivery 30 - 90 days after receipt of order FOB: Randleman, NC Ship Via: BESTWAY Net Order: \$30,312.00 Quote is valid for 30 days, unless otherwise stated. Final billing may include sales tax if applicable. Sales Tax: \$2,064.96 1.5% Monthly Finance Charge will apply to any unpaid balance after payment due date. Order Total: \$32,376,96 Sales Department Order Acceptance Any changes made after signed acceptance of quote and customer requirement sheet will result in a change order fee.


Safe Air Systems is a Master Distributor for



Date:

Sign:





210 Labrador Drive Randleman, NC 27317 www.safeairsystems.com toll free 800.424.8633



info@safeairsystems.com phone 336.674.0749 fax 336.674.3688

QUOTE #

0165039

Date:

2/21/2018

Customer Number:

0013437

BILL TO:

CHARLOTTE ROAD FIRE DEPARTMENT 4421 OLD HICKORY ROAD LANCASTER, SC 29721 SHIP TO:

LANCASTER COUNTY CHARLOTTE RD 4421 OLD HICKORY ROAD LANCASTER, SC 29720

Confirm To:

M CARNES

PO #:

Salesperson:

Qty. Item

BEN

Amount

1.00 LEGACY 13

VERTECON 13CFM 6KPSI 10HP

VERTECON 13CFM 6KPSI 10HP

Bauer Open Vertical Compressor/Purifier configured for 13.0 scfm, 6000 psig, 4-stage compressor, 10 hp, phase motor and 67,000 scf capacity purifier, integrated purification system that meets NFPA 1989 requirements for firefighting and CGA Grade E air for SCUBA, purifier includes steel mechanical separator chamber, as well as purifier safety vent port to prevent operating system w/o cartridge. Standard with Bauer long-life, well-cooled, oil-pressure lubricated compressor block with stainless steel intercoolers, high-temperature & low oil pressure shutdowns. Mounted pressure gauges for oil, final stage and purifier. Includes PLC with touch pad controller with full color display, lighted on/off switch, hour meter, emergency stop button, safety over-time timer, motor controls/protection and UL-rated electrics.

AUTO CONDENSATE DRAIN SYSTEM

-Timed automatic drain, includes silencer and collection reservoir and user display indicator if "full".

MTD INTERSTAGE PRESSURE GAUGES

SECURUS PURIFIER MONITOR SYSTEM

- Built-in, continuous monitor for purification cartridges.

- Includes user display indicators for "safe", "high moisture", "cartridges expired" and "contact fault".
- Automatic system shutdown for faults; fail-safe (can not be over-ridden); no warm up required.
- Can extend the purifier cartridge's useable life.

1.00 26-SASCO-24V

PNL MOUNTED CO MONITOR 24 V

1.00 OUTV-KIT/ VERT

COMP OUTLET VLV KIT

1.00 50-BA005-3E

BREATHING AIR HOSE 5'

1.00 FHN716192010.5G

50-75 FT SPRING REW HOSE REEL

50-75 FT SPRING REW HOSE REEL FHN716-19-20-10.5GSRH6M

2.00 FTX48

CONN., #4 MJIC X 1/2" MP

1.00 50-BA050-3E

BREATHING AIR HOSE 50'

Continued





1.00 97-BALL

HOSE REEL BALL 3"

1.00 59X0502-QC

FILL ADAPTOR W/ 6K QUICK DISCO

FILL ADAPTOR W/ 6K QUICK DISCONNECT

1.00 97-HR WALL MNT

WALL MOUNT FOR HOSE REEL

1.00 /AIRTEST-N11989

AIRTEST SINGLE GRADE 1989 (08)

1.00 /FREIGHT

ES-FREIGHT

2.00 /SHOP LABOR-NC

ES-SHOP LABOR

250.00 /MILEAGE

ES-MILEAGE

7.00 /FIELD LABOR

ES-FIELD SERVICE LABOR

5 YEAR BAUER COMPRESSOR BLOCK WARRANTY AND 2 YEAR WARRANTY ON REST OF SYSTEM.

* COMPRESSOR IS A BAUER VERTECON 13 WITH, 4 STAGE COMPRESSOR, 13 CFM, 6000 PSI, 10 HP SINGLE PHASE MOTOR. AUTO CONDENSATE DRAIN, INTERSTAGE GAUGES, ELECTRIC MOISTURE MONITOR, INTEGRATED PURIFICATION SYSTEM THAT MEETS NFPA 1989 REQUIREMENTS FOR FIREFIGHTING AND CGA GRADE E AIR FOR SCUBA. WILL PROCESS 67,000 CU FT OF AIR. ALSO INCLUDES CO MONITOR.

*** ALSO INCLUDES 50 FT SPRING REWIND HOSE REEL WITH HP HOSE, BALL STOP, 6K PSI FILL ADAPTOR AND WALL MOUNT FOR HOSE REEL.

*** CUSTOMER TO FIX/SECURE HOSE REEL MOUNT TO THE WALL IN THE TRUCK BAY. THIS MOUNT WILL PROVIDE A LOCATION FOR THE HP HOSE REEL TO BE PLACED.

*** CUSTOMER TO CALL US WHEN THEY HAVE THE HOSE REEL MOUNT FIXED/SECURED AND WE WILL SHIP THE HP HOSE REEL MOUNT TO THEM FOR PLACEMENT. SAFE AIR TO INSTALL THE HOSE REEL WHEN WE COME TO INSTALL THE COMPRESSOR.

* SAFE AIR TO DELIVER, OFF LOAD, INSTALL AND COMPLETE PLUMBING OF SYSTEM.

* SAFE AIR TO STARTUP AND VERIFY OPERATION, INCLUDING A 1-TIME AIR SAMPLE. COMPREHENSIVE USER TRAINING WILL BE GIVEN AT TIME OF START-UP.

**** CUSTOMER TO PROVIDE SUITABLE ELECTRIC SERVICE FOR SYSTEM TO INCLUDE WALL MOUNT DISCONNECT AND PIGTAIL. (PIGTAIL CONSIST OF 10 FT FLEX CONDUIT AND 12 FT OF WIRE) SAFE AIR WILL MAKE FINAL CONNECTION TO THE UNIT.

Includes: *Estimated Freight * * Delivery * * Setup, installation and piping * * Startup and System Verification * * Comprehensive User Training *

Ship Via: BESTWAY

Customer to provide suitable electrical wiring/disconnect for Safe Air Systems to make final connections per Safe Air Systems' Customer Requirements document

Terms: NET 30 DAYS

Delivery: 90 - 100 days after receipt of order

FOB:

Net Order:

\$24,740.50

Quote is valid for 30 days, unless otherwise stated.

Randleman, NC

Final billing may include sales tax if applicable.

Sales Tax:

\$1,901.84

1.5% Monthly Finance Charge will apply to any unpaid balance after payment due date.

Order Total:

\$26,642.34

Safe Air Systems is a Master Distributor for

