# 2019 Annual Drinking Water Quality Report

(Consumer Confidence Report)

# **CITY OF WESLACO**

PWS ID # 1080011

#### SPECIAL NOTICE

Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

# Public Participation Opportunities

Phone Number: (956) 968-3008

For any questions regarding your drinking water or any of the information provided in the following pages please call the Weslaco Water Treatment Plant at (956) 968 - 3008. To learn about future public meetings (concerning your drinking water), or to request to schedule one, please call us at the phone number listed above.

## Our Drinking Water Meets or Exceeds All Federal (EPA) Drinking Water Requirements

This report is a summary of the quality of the water we provide our customers. The analysis was made by using the data from the most recent U.S. Environmental Protection Agency (EPA) required tests and is presented in the attached pages. We hope this information helps you become more knowledgeable about what's in your drinking water.

Phone # 956-968-2833

#### INFORMATION ON SOURCES OF WATER:

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturallyoccurring or be the result of oil and gas production and mining activities

*En Español* Este informe incluye información importante sobre el agua potable. Si tiene preguntas o comentarios sobre éste informe en español, favor de llamar al tel. (956) 968-3008 para hablar con una persona bilingüe en español.

### Where do we get our drinking water?

Our drinking water is obtained from SURFACE water sources. A Source Water Susceptibility Assessment for your drinking water sources(s) is currently being updated by the Texas Commission on Environmental Quality. This information describes the susceptibility and types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The information contained in the assessment allows us to focus our source water protection strategies. Some of this source water assessment information will be available later this year on Texas Drinking Water Watch at http://dww.tceq.state.tx.us/DWW/. For more information on source water assessments and protection efforts at our system, please contact us.

# ALL drinking water may contain contaminants.

When drinking water meets federal standards there may not be any health based benefits to purchasing bottled water or point of use devices. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

# **Secondary Constituents**

Many constituents (such as calcium, sodium, or iron) which are often found in drinking water, can cause taste, color, and odor problems. The taste and odor constituents are called secondary constituents and are regulated by the State of Texas, not the EPA. These constituents are not causes for health concern. Therefore, secondary's are not required to be reported in this document but they may greatly affect the appearance and taste of your water.

# **About The Following Pages**

The pages that follow list all of the federally regulated or monitored contaminants which have been found in your drinking water. The U.S. EPA requires water systems to test for up to 97 contaminants.

#### **DEFINITIONS**

# Maximum Contaminant Level (MCL)

The highest permissible level of a contaminant in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

# Maximum Contaminant Level Goal (MCLG)

The level of a contaminant in drinking water below which there is no known or expected health risk.

MCLGs allow for a margin of safety.

MPL – State Assigned Maximum Permissible Level Maximum Residual Disinfectant Level (MRDL)

The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

# **Maximum Residual Disinfectant Level Goal** (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

# Treatment Technique (TT)

A required process intended to reduce the level of a contaminant in drinking water.

# Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

#### **ABRREVATIONS**

**NTU** - Nephelometric Turbidity Units million fibers per liter (a measure of asbestos)

pCi/L - picocuries per liter (a measure of radioactivity)

**mrem/yr** – millirems per year (a measure of radioactivity)

ppm - parts per million, or milligrams per liter (mg/ L)

**ppb** - parts per billion, or micrograms per liter (μg/L)

NA – not applicable

ND - Not detected

#### **Definitions and Abbreviations**

**Definitions and Abbreviations** The following tables contain scientific terms and measures, some of which may require explanation.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety,

Regulatory compliance with some MCLs are based on running annual average of monthly samples. Avg:

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system,

Level 2 Assessment

A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water, MCLs are set as close to the MCLGs as feasible using the best available treatment

technology

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of

Maximum residual disinfectant level goal or The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of

MRDLG: disinfectants to control microbial contaminants. MFL

million fibers per liter (a measure of asbestos) mrem: millirems per year (a measure of radiation absorbed by the body)

not applicable.

NTU nephelometric turbidity units (a measure of turbidity) pCi/L picocuries per liter (a measure of radioactivity)

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

milligrams per liter or parts per million - or one ounce in 7,350 gallons of water. ppm:

ppq parts per quadrillion, or picograms per liter (pg/L) ppt parts per trillion, or nanograms per liter (ng/L)

Treatment Technique or TT: A required process inlended to reduce the level of a contaminant in drinking water.

#### Information about Source Water

No Source Water Assessment for your drinking water source(s) has been conducted by the TCEQ for your water system. The report describes the susceptibility and the types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The information in this assessment allows us to focus our source water protection strategies.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

| Lead and Copper | Date Sampled | MCLG | Action Level (AL) | 90th Percentile | # Sites Over AL | Units | Violation | Likely Source of Contamination  |
|-----------------|--------------|------|-------------------|-----------------|-----------------|-------|-----------|---|
| Copper          | 2019         | 1.3  | 1.3               | 0.09            | 0               | ppm   |           | Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems. |
| Lead            | 2019         | 0    | 15                | 1               | 0               | ppb   |           | Corrosion of household plumbing systems:<br>Erosion of natural deposits.                                |

#### 2019 Water Quality Test Results

| Disinfection By-Products | Collection Date | Highest Level<br>Detected | Range of Individual<br>Samples | MCLG                  | MCL | Units | Violation | Likely Source of Contamination             |
|--------------------------|-----------------|---------------------------|--------------------------------|-----------------------|-----|-------|-----------|--|
| Chlorite                 | 2019            | 0.428                     | 0.024 - 0.428                  | 0.8                   | 1   | ppm   | N         | By-product of drinking water disinfection. |
| Haloacetic Acids (HAA5)  | 2019            | 17                        | 9.2 - 19.2                     | No goal for the total | 60  | ppb   | N         | By-product of drinking water disinfection. |

<sup>\*</sup> The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year

| Total Trihalomethanes (TTHM) | 2019 | 43 | 13.6 - 32.2 | No goal for the | 80 | ppb | N | By-product of drinking water disinfection. |
|------------------------------|------|----|-------------|-----------------|----|-----|---|--|
|                              |      |    |             | total           |    |     |   |  |

<sup>\*\*</sup> The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year

| Inorganic Contaminants         | Collection Date | Highest Level<br>Detected | Range of Individual<br>Samples | MCLG | MCL | Units | Violation | Likely Source of Contamination   |
|--------------------------------|-----------------|---------------------------|--------------------------------|------|-----|-------|-----------|--|
| Barium                         | 2019            | 0.0984                    | 0.0984 - 0.0984                | 2    | 2   | ppm   | N         | Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.                                |
| Cyanide                        | 2019            | 150                       | 150 - 150                      | 200  | 200 | ppb   | N         | Discharge from plastic and fertilizer factories;<br>Discharge from steel/metal factories.                                  |
| Fluoride                       | 2019            | 0.5                       | 0.51 - 0.51                    | 4    | 4.0 | ppm   | N         | Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories. |
| Nitrate [measured as Nitrogen] | 2019            | 0.34                      | 0.34 - 0.34                    | 10   | 10  | ppm   | N         | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.                               |
| Selenium                       | 2019            | 3.8                       | 3.8 - 3.8                      | 50   | 50  | ppb   | N         | Discharge from petroleum and metal refineries;<br>Erosion of natural deposits; Discharge from mines.                       |

| Radioactive Contaminants          | Collection Date      | Highest Level<br>Detected | Range of Individual<br>Samples | MCLG | MCL | Units  | Violation | Likely Source of Contamination          |
|-----------------------------------|----------------------|---------------------------|--------------------------------|------|-----|--------|-----------|---|
| Beta/photon emitters              | 02/09/2017           | 5.2                       | 5.2 - 5.2                      | 0    | 50  | pCi/L* | N         | Decay of natural and man-made deposits. |
| *EPA considers 50 pCi/L to be the | level of concern for | beta particles.           |                                |      |     |        |           |   |
| Uranium                           | 02/09/2017           | 1.3                       | 1.3 - 1.3                      | 0    | 30  | ug/l   | N         | Erosion of natural deposits.            |

#### Disinfectant Residual

'A blank disinfectant residual table has been added to the CCR template, you will need to add data to the fields. Your data can be taken off the Disinfectant Level Quarterly Operating Reports (DLQOR).'

| Disinfectant Residual | Year | Average Level | Range of Levels | MRDL | MRDLG | Unit of Measure | Violation (Y/N) | Source in Drinking Water |
|-----------------------|------|---------------|-----------------|------|-------|-----------------|-----------------|--------------------------|
|                       |      |               | Detected        |      |       |                 |                 |                          |

#### Turbidity

|                                | Level Detected | Limit (Treatment | Violation | Likely Source of Contamination |
|--------------------------------|----------------|------------------|-----------|--------------------------------|
| Highest single measurement     | 0.29 NTU       | 1 NTU            | N         | Soil runoff.                   |
| Lowest monthly % meeting limit | 100%           | 0.3 NTU          | N         | Soil runoff.                   |

Information Statement: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants.

#### Total Organic Carbon

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set, unless a TOC violation is noted in the violations section.